

CV – Philip Hemmer – April 2016

Title/Address:

Professor, Department of Electrical & Computer Engineering, WEB 235G, Texas A&M University, College Station, TX 77845, Tel: 979-845-8932, Fax: 979-845-6259, email: prhemmer@ece.tamu.edu

Technical Areas of Expertise:

Solid materials for quantum optics, Sub-wavelength imaging, Single molecule imaging, Fluorescent color centers in diamond and oxide crystals. Nanoscale magnetometers based on nitrogen-vacancy diamond, Ultrasound modulated optical tomography, Nano-fabrication of surface plasmon structures. Quantum computing and storage in solid materials, Quantum communication and teleportation in with solid materials, Sensitive chemical/biological agent detection using quantum coherence, Ultraslow and stopped light in solids, Materials and techniques for resonant nonlinear optics, Phase-conjugate-based turbulence aberration compensation, Spectral holeburning materials and techniques, Holographic optical memory materials, Smart pixels devices, Optical correlators, Photorefractive applications, Laser trapping and cooling, Atomic clocks.

Education:

Ph.D. in Physics, 1984, MIT; B.S. in Physics, 1976, University of Dayton

Previous Experience:

2002-present:	Professor/Associate Professor, Texas A&M University
1983-2001:	Physicist/Senior Physicist, Air Force Research Laboratory
1980-1983:	Research Assistant, MIT
1977-1980:	National Science Foundation Fellowship

Brief Statement of Work History:

I have primarily concentrated on adapting the latest concepts in the forefront of optics to solving difficult problems of commercial and military importance. Past and current work includes:

- 1) Engineered growth of diamond color centers using diamondoid seed molecules.
- 2) Quantum optical memories using silicon- and germanium-vacancy (SiV & GeV) enters in diamond.
- 3) Room temperature detection of a single rare-earth ion using up-conversion.
- 4) Detection and imaging of electron and nuclear spin using nitrogen-vacancy (NV) diamond,
- 5) Sub-wavelength imaging of NV centers in diamond using magnetic resonance imaging,
- 6) Room temperature single shot readout of nuclear spin in NV diamond,
- 7) Photon-spin entanglement in NV diamond,
- 8) Ultra-sensitive room temperature solid state magnetometers with NV diamond,
- 9) Ultrasound optical tomography with persistent spectral hole burning materials and slow light
- 10) Optically excited spins in room temperature NV diamond for quantum processor nodes,
- 11) Plasmon nano-optics for few molecule chemical sensors and quantum information,
- 12) Demonstration of slow and stopped light in solids,
- 13) Room-temperature slow and fast light in solid-state for optical buffers and delay lines,
- 14) Low-threshold nonlinear optics for optical processing and turbulence aberration correction,

- 15) Materials and techniques for high-temperature spectral holeburning memories,
- 16) Polymer-based holographic optical memory materials for automatic target recognition,
- 17) Uses of smart-pixel devices for optoelectronic image processing and aberration correction,
- 18) Investigation of laser cooled and trapped atoms,
- 19) Development of more compact atomic clocks using optical Raman excitation.

Awards:

1. Fellow of the Optical Society of America, 2012
2. TEES Fellow 2007 & 2010,
3. Ruth and William Neely '52 Dow Chemical Fellowship, 2003
4. Air Force Research Laboratory Chief Scientist's Award, 1993
5. AFOSR Star Team Award (3 times), 1990, 1992, 1994
6. National Science Foundation Fellowship, 1976
7. Summa Cum Laude University of Dayton, 1976

Highlights from Research Career:

- Developed a new growth technique for nanodiamonds in which a diamond-like seed molecule is used to nucleate growth. By proper choice of seed molecule and growth mix custom color centers can be designed and fabricated such that each nanocrystal, no matter how small, has at least one fluorescent emitter. This will enable many bio-sensing applications of diamond color centers, and also has implications for scalable quantum computers.
- Demonstrated along with Univ of Ulm collaborators, observation of electromagnetically induced transparency in silicon vacancy centers in diamond. This is a key step toward quantum memories for photons and to nanoscale cryogenic magnetic sensors.
- Demonstrated along with Univ of Stuttgart collaborators, observation of single rare earth dopants in a crystal at room temperature. This is a key step toward quantum computing and nanoscale imaging using single rare earth ions in solids.
- Demonstrated along with Univ of Stuttgart collaborators, external near-single electron spin detection and 1-D imaging with single NV diamond color centers and radical spin labels under ambient conditions. This is a key milestone toward detection and imaging of single bio-molecules in living cells.
- Demonstrated sub-wavelength imaging of single molecules (NV diamond) with optically detected electron spin resonance. This study led to projections of ultimate resolution on the atomic scale.
- Demonstrated along with Univ of Stuttgart collaborators, single shot readout of nuclear spins in NV diamond. This establishes NV diamond as a viable room temperature quantum computing technology.
- Demonstrated, along with Harvard collaborators, spin photon entanglement using NV diamond. This establishes NV diamond as a viable quantum repeater technology.
- Demonstrated along with Univ of Stuttgart collaborators the use of diamond magnetometer to map out fields of nano-magnets. With isotopically pure diamond the sensitivity for a single NV was $5 \text{ nT}/\sqrt{\text{Hz}}$. This is consistent with the magnetic field generated by single nuclear spins a few nanometers away, and single nuclear spins 10's of nanometers away.
- Proposed, along with Harvard collaborators, ultrasensitive magnetometers using NV diamond.
- Demonstrated, along with Washington Univ collaborators, deep tissue imaging in a phantom using ultrasound optical tomography with slow light in persistent spectral hole burning materials.
- Proposed and theoretically analyzed, along with Texas A&M collaborators, a technique to perform quantum lithography and sub-Rayleigh imaging with classical laser light.
- Demonstrated, along with Harvard collaborators, key elements for a room temperature quantum register including local few-qubit processing.
- Demonstrated along with Univ of Stuttgart collaborators, the particle wave duality of plasmons excited by emission of single NV centers.
- Initiated novel plasmon nano-wire research and demonstrated, along with Harvard collaborators, enhanced emission of quantum dots into metallic optical nanowires at room temperature.
- Demonstrated ultra-slow and stopped light in a solid. This work has been referenced in a number of news articles including New Scientist, Science News, Business week, Science

magazine, Wired magazine, Nature science update, Physics news update, Optics.org news update.

- Developed novel, experimentally realizable techniques for performing quantum logic using optical dark resonances to manipulate spins in solids.
- Co-developed a novel model for quantum computing in solid materials wherein spin-based qubits can be optically coupled using spectrally selective dark resonance techniques.
- Demonstrated that it is possible to excite dark resonances in solid materials with enough efficiency to be useful for many applications.
- Discovered an improved dark resonance technique, based on the double-Lambda system that is applicable to a much larger class of materials than standard electromagnetically induced transparency. Also performed preliminary studies to investigate potential applications such as sub-shot-noise imaging. Later this experiment was repeated by Harvard researchers to demonstrate quantum noise correlation.
- Developed the idea and experimentally demonstrated the potential for using Raman excited spin coherences to increase the operating temperature of ultra high capacity optical memories based on spectral hole burning materials.
- Identified and experimentally demonstrated a novel class of materials, based on dark resonances, that enable nonlinear optical applications such as phase conjugation at unusually low laser intensities, without sacrificing speed or efficiency.
- Developed and performed proof-of-principle studies of novel dark resonance techniques that have applications to infrared detection and switching in semiconductor materials.
- Co-developed a novel theory of sub-recoil laser cooling that was later demonstrated in three dimensions by the group of Claude Cohen-Tannoudji. Our paper is referenced in this work, which in turn was cited by the Nobel Prize committee in awarding the prize to Prof. Cohen-Tannoudji.
- Experimentally demonstrated novel techniques for image multiplexing/demultiplexing at up to GHz modulation frequencies using nonlinear optics. This technique has also recently found application to ultrasound modulated optical tomography.
- Identified and experimentally demonstrated a novel opto-electronic feedback technique for suppressing the nonlinear response of imaging arrays and constructing array-scale optical logic elements.
- Experimentally observed self-organized grating formation and backward-directed gain in atomic vapors and beams.
- Experimentally observed (and co-predicted) optical force rectification in a Lambda-system.
- Experimentally demonstrated novel approaches for developing improved atomic clocks and magnetometers using coherent population trapping in atomic beams and vapors.

Descriptions of Current and Selected Past Research Areas

Engineered growth of fluorescent diamond color centers

The superior photostability of fluorescent color centers in diamond has generated interest in new techniques to make ultrasmall fluorescent nanodiamonds. For example, ultra-small high-quality nanodiamonds with nitrogen-vacancy (NV) centers are needed for future nanoscale magnetic sensing and imaging applications. In addition, more deterministic growth techniques are needed to fabricate large quantities of ultrasmall nanodiamonds with near-unity yield of stable fluorescent emitters like the silicon-vacancy (SiV) or nickel-nitrogen centers. To solve these problems a seeded growth technique is used. However unlike seeded growth of larger crystals, nanocrystal seeds

must be the size of a single molecule. Diamondoids are organic molecules that consist of a few lattice units of diamond, and are therefore ideal nanodiamond seeds. The key is to grow diamond under conditions where the seed molecule survives. This has been done at high pressure using a mixture of paraffin and diamondoid-derivatives in a diamond anvil cell (DAC). By doping the diamondoid seed with the atoms needed for specific color centers, deterministic growth is possible so that each nanodiamond, no matter how small, can have at least one fluorescent color center. This even applies to complex multi-atom color centers that cannot be produced with high yield by any existing diamond growth technique.

Single molecule magnetic resonance imaging under ambient conditions

For a long time there has been a desire to image single molecules under ambient conditions, like in living cells, using non-damaging illumination. One technique capable of accomplishing this in principle is magnetic resonance imaging (MRI) as it is relatively straightforward to produce the field gradients needed for sub-nanometer resolution. However for MRI the problem becomes one of detection, as the usual magnetic pick-up coil does not scale well to small sample volumes. Hence MRI is limited to several micron sized volumes. Recently there has been research into alternate methods to detect the MRI signal. For example by using a scanning probe with a magnetic tip, magnetic resonance force microscopy (MRFM) can measure MRI signals via the force between the sample and the magnet on the tip. While this technique has achieved single electron spin imaging and virus particle imaging it unfortunately requires cryogenic temperatures. To overcome this limitation, nitrogen-vacancy (NV) diamond magnetometers can be used to detect the magnetic field produced by single electron and nuclear spins. These have the advantage of operating at room temperature. So far a single electron spin outside of a diamond crystal has been seen and a crude 1-D image has been made. The challenge is to get down to near-single nuclear spin sensitivity so that single molecules can be imaged, for example, protein folding in living cells. To accomplish this, much surface science is needed to eliminate electron spin defects on the surface of diamond.

Novel imaging schemes for sub-Rayleigh and sub-wavelength imaging

In recent years there has been much interest in imaging below the limit imposed by the Rayleigh criteria in conventional optics. Much of this work has been in the context of biological systems where the goal is to image sub-optical wavelength structures in living cells. A number of nonlinear techniques have been developed including saturated absorption or gain near optical nodes (STED) or selective photo activation of dye molecules (PALM). In addition some coherent optical techniques like Raman Stark shift imaging have been proposed and demonstrated in non-bio-compatible systems. Although these systems appear very different on the surface, it is possible to view them all in a generalized framework and similar mathematical expressions can be found to describe the ultimate resolution enhancement capabilities of each. Even techniques that are considered independent of the wavelength, like magnetic resonance imaging, can also be viewed in the same generalized model and again similar equations describe the ultimate resolution. In this area I am investigating several alternatives to existing sub-wavelength imaging techniques that have the potential to reach better resolution. These include techniques that involve microwave spin transitions in atoms or molecules, as well as optical Raman transitions that induce spin flips. The advantage of spin systems is that the coherence time can be long at room temperature and this improves the ultimate resolution enhancement that is possible in vivo.

Ultra-sensitive magnetometry using nitrogen-vacancy (NV) diamond

With collaborators at Harvard and Univ of Stuttgart I have been studying the prospects of developing ultra-sensitive magnetometers based on NV diamond. With NV diamond, the potential exists to make magnetometers that are even more sensitive than the best existing magnetometers (namely atomic vapors) yet operate at room temperature in ambient environment. In addition, by using single NV centers as a magnetometer, nano-scale magnetic measurements can be made with unprecedented resolution, even at room temperature. This opens the door to a new class of sub-wavelength cellular imaging techniques. By using ensembles of NV centers it may also be possible to image ultra-small magnetic gradients such as those needed for military magnetic imaging sensors, non-perturbing current measurements on micro-electronics chips, or imaging the action potential of single neurons.

Indestructible fluorescent markers for sub-wavelength cellular probing

I have a new project to investigate whether or not diamond nanocrystals can be made as small as 1 – 2 nm in size while still having stable nitrogen-vacancy (NV) optical emitters. This will address two key problems in the field of fluorescent markers for biological imaging applications. The first problem is that the dyes commonly used for this purpose bleach out after a minute or less and so cannot be used for any long term tracking of biological processes on the single molecule level. Quantum dots solve the bleaching problem, but are inherently too large, >5nm, to enter

the cell without being detected and isolated by the cellular immune system. The key point is that the nitrogen vacancy center is inherently sub-nanometer in size so that it may be possible to reduce the diamond nanocrystal host to a size near 1 nm which is below the threshold needed to enter the cell unnoticed.

Nanotechnology and nanoscale optics

A new age in optics is dawning. Up until now, optical materials and devices have mostly concentrated on modifying the wave properties of light, such as the propagation direction and speed via modifications of refractive index or absorption. Even photon band-gap materials rely heavily of the wave properties of light. But recently, novel plasmon-based materials with feature sizes in the range of 1-50 nm have begun to emerge. In these materials, for the first time, the electric field of light can directly interact with the material in ways reminiscent of microwave electronics. For example, the action of light on certain plasmon-based nanomaterials can be characterized in terms of capacitance and inductance, rather than the refractive index or absorption coefficient. In this area I am investigating the use of state-of-the-art electron beam lithography to reproducibly fabricate plasmon nano optics. I have also recently begun investigating the use of atomic force microscope probes as an even higher resolution fabrication tool for nano-optics. So far, we have shown that optical wires can efficiently collect the fluorescence of a single quantum dot. In the future nano-scale plasmon structures with stronger field enhancement will be explored. For example, fractal-enhanced optical resonant cavities have shown unprecedented Q-values. These cavities combine a high Q conventional optical cavity with a high Q plasmon mode of a fractal-like metallic structure. Similar fractal-enhanced cavities have already demonstrated the potential to be ultra-sensitive chemical/biological detectors, but have so far only been fabricated using inherently non-reproducible techniques

Quantum imaging and lithography with classical light

There have been recent proposals to extend the resolution limit of optical lithography by up to an order of magnitude by using multi-photon quantum interference involving entangled Fock states of photons. With collaborators, I have shown that this same limit can be achieved with classical light if one has a coherent, number resolving photon detector. The particular detector we have been studying is the Doppleron since it is present in every two level atom, and can be easily generalize to Raman systems for improved performance for optical transitions at room temperature. Since this approach is very general, it also works on microwave transitions, where it opens new possibilities for quantum optical detection and sub-Rayleigh imaging in this frequency range. Recently I have shown that it is possible to use a Doppleron transition to resolve two point sources separated by much less than the optical wavelength. Significantly, the point sources are classical objects and are illuminated by classical light. Only the final detector has quantum optical properties. This opens the door to sub-wavelength imaging in living cells without any fluorescent tags. This is the “holy grail” of biological sub-wavelength imaging because it can be applied to any bio-system without the perturbing effects of fluorescent tags.

Ultrasound modulated optical tomography (UOT) with spectral hole burning (SHB) materials and slow light

With a collaborator at Washington Univ in St Louis I have been exploring the use of SHB materials to provide high contrast ultrasound images of living tissue, even for deep tissue imaging. The problem with direct imaging in tissue samples thicker than a few millimeters is that light is multiply scattered to such an extent that all spatial resolution is lost. On the other hand, ultrasound can maintain a high resolution for deep tissue imaging but has poor imaging contrast due to low tissue discrimination capability. By combining ultrasound imaging with optical detection, it is possible to keep the best advantages of both techniques, namely the resolution of ultrasound and the tissue discrimination of optics. However, due to the extreme scattering properties of living tissue, the frequency shift of the incident light caused by the focused ultrasound is only a small amount of the total scattered light. This necessitates powerful filtering techniques to remove the non-frequency shifted background light. While many optical techniques exist to selectively filter out particular optical frequencies, essentially none of them work well with the broad-area, wide angle scattered light found in UOT imaging. One exception to this is real time holography using for example, photorefractive crystals. However, even these do not perform well enough for clinical applications where a signal to background ratio in excess of 70 dB is expected. Therefore we have been exploring SHB crystals for this application. In these materials up to 110 dB of frequency selection has been seen, but more importantly there is no solid-angle or area (up to centimeters) limitation. Preliminary results with persistent a spectral hole burning (PSHB) material Pr doped YSO has shown that images can be made deep inside tissue phantoms up to 9 cm so far. However we find that the filtering performance of PSHB alone is degraded for diffuse light. However using slow light we have demonstrated that we can efficiently separate this residual background in the time domain, thereby attaining a multiplicative enhancement in filtering performance. As a result we are able to detect even a few ultrasound photon in the presence of 10's of MW of scattered laser light. Hence we are doing quantum limited UOT. Projections based

on straightforward improvements to the setup, show that single shot video rate UOT should be possible in tissue phantoms thicker than 12 cm. If these results can be extended to a PSHB material with an active wavelength in the near infrared (like Tm:YAG), this would be deep enough for certain clinical applications.

Room temperature few-qubit solid state quantum computers in diamond

The nitrogen-vacancy (NV) color center in diamond can be optically spin polarized and the spin state can be detected at room temperature. Coherence times of the spin are also long, fractional milliseconds for the NV electron spin and fractional seconds for ^{13}C nuclei near NV centers. By using the interaction of the NV spin with proximal ^{13}C atoms, it is possible to entangle the electron and nuclear spins or to use the nuclear spins as a storage register for a quantum state that has been loaded into the electron spin. The nuclear spin storage is robust to multiple read/write cycles of the electron spin. Multiple ^{13}C in the NV frozen core can be entangled so that a few-qubit quantum computer can be constructed. Recently, we have demonstrated single shot readout of nuclear spins in NV diamond. This, combined with long range dipole-dipole coupling to other NVs or other dark spins in the lattice like substitutional nitrogen, allows the construction of scalable room temperature quantum computers.

Solid state quantum repeaters in diamond

Quantum repeaters are needed to produce long range entanglement which in turn allows secure communication via quantum teleportation. To be useful in practice these repeaters must incorporate error correction. This rules out ensemble-based repeaters unless they are interfaced to a local quantum computer node. However by using single NV diamond defects for storage of the quantum information in entangled photon pairs, a practical solid-state quantum repeater can be constructed. To this end, we recently demonstrated entanglement between the electron spin and the fluorescent photon emitted by the NV. This is the first key step toward development of a quantum repeater.

Solid state quantum computers based on VLSI techniques in diamond

Now that it has been experimentally proven that quantum weirdness can be used for provably secure communications, and possibly ultra-high performance computing, the goal is to build the first prototype of a scalable quantum computer. The basic design consists of implanting single nitrogen-vacancy (NV) centers into a diamond wafer at well-defined locations with a precision of 10's of nanometers. An electrode above each NV center will be used to tune it into resonance with an optical laser beam that will be used to perform one and two qubit operations. Since the basic design involves qubit coupling that can be switched on and off at will and makes use of already-demonstrated VLSI fabrication techniques, the design is highly scalable. To achieve the necessary precision for quantum error correction to be effective, optical Raman transitions will be used to manipulate the qubits. This allows GHz-rate gate operations since an allowed optical transition is used, yet it does not perturb the long spin coherence time. This spin lifetime has already been observed to approach 1 msec, even at room temperature, with the promise of even longer times as better diamond substrates are becoming available. This translates to more than 10^6 quantum operations per coherence time, where a minimum of 10^4 is needed to apply quantum error correction. Therefore, this is a very promising system, and is unique in that it may even eventually work at room temperature.

Ultra-sensitive chemical and biological detection:

Background: There is an urgent need to be able to detect and identify chemical and/or biological agents that are present in very low concentrations. Currently, one of the best techniques for accomplishing this is surface enhanced Raman spectroscopy, because it has demonstrated the capability for single molecule detection, at least at low temperature. Recently it was shown that fractal-like structures composed of nanometer sized metal balls, deposited on the surface of a high Q optical cavity, can give orders of magnitude higher field concentration, and therefore much greater sensitivity. The data shows that sensitivities close to single molecule levels have been achieved at room temperature. Unfortunately, the fabrication process is not reproducible, as it requires nanometer-sized metal balls to randomly organize into the optimal pattern. My approach to solving this problem is to use nano-lithography to fabricate these metallic patterns. Not only does this give the needed reproducibility, but will also allow feedback between experiment and theory, as required to maximize performance and manufacturability. A second approach is in collaboration with Scully in Physics at Texas A&M Univ. Here, optical Raman dark resonances are used to create maximal coherence on the vibrational state of a molecule. If done properly, the optical Raman signal can be made larger than the spontaneous emission signal. Since the spontaneous emission is routinely used by biologists to track single molecules in living cells, this implies that single molecule optical Raman may be possible. The advantage over ordinary fluorescence is that the Raman spectrum is high resolution and gives valuable chemical and environmental information. Clearly, this would make a superior biological sensor, especially in conjunction with the plasmon structures described above.

Applications: Aside from chemical and biological detection, the ability to couple strongly to a single atom or molecule has applications to single photon sources for quantum cryptography.

Long range chemical and biological agent detection using back propagating stimulated Raman

Coherent Raman techniques are often used for chemical and biological agent detection. This is because of their ability to sense the narrowband vibration modes of molecules, which serve as a fingerprint. However for long range sensing, spontaneous Raman suffers from an inverse square loss of signal with distance due to its non-directional nature. Stimulated Raman and CARS are directional and could in principal overcome these limitations. However, in existing coherent Raman sensing techniques the signal propagates away from the laser. Normally this also means that it propagates away from the detector. To overcome this limitation, a laser can be produced in the atmosphere on the back side of the target. The atmospheric lasers are made by inducing discharge in either nitrogen or oxygen where the energy is supplied by pre-chirped femtosecond lasers. Since a large portion of this atmospheric laser light will propagate in both directions, this can provide a backpropagating probe which in turn can produce a back-propagating stimulated Raman signal. The result will be greatly improved sensitivity for long range chemical and biological agent detection by Raman fingerprinting techniques.

Solid state materials for quantum computing:

Background: There has been much recent interest in the possibility of developing a solid state quantum computer using spins on dopant ions in semiconductors. In these systems the problems of efficient excitation, decoherence, and especially readout are much more challenging than trapped atoms or other potentially scalable systems. The excitation and control of spin coherences by Raman dark resonance techniques provides a natural solution to many of these problems. To this end, I have been exploring the use of optical Raman dark resonances to manipulate electron and nuclear spins in nitrogen-vacancy (NV) diamond color centers. Recently, I have been transitioning this work to single NV centers where I have demonstrated coupling between a NV and a nearby substitutional nitrogen.

Applications: The most commonly quoted applications of quantum computing are the factoring of large numbers and sorting of lists. However, in the short term, the major applications are to secure communication, and optimization problems that have no classical solution. By making regular arrays of qubits, such as in NV diamond or quantum dot arrays, it should also be possible to perform implement a variety of algorithms, with both short and long-term interest. For example, one of my projects seeks to implement quantum lattice gas simulations, of the type used to model high Reynolds number fluid flow, on a quantum computer. This is important since a large percentage of the world's current supercomputing power is devoted to fluid flow simulations, so that there is an economic incentive to explore quantum-computing alternatives.

Quantum storage with “stopped” light in solids:

Background: Most proposed quantum computers will require high-fidelity quantum storage to operate. However, very little effort has been expended to identify adequate storage techniques. The few that have been proposed are difficult to implement and will therefore be unlikely to provide high-fidelity in the near future. An exception to this rule is the recently demonstrated “stopped” light storage technique. Previous demonstrations of ultra-slow and stopped light were performed in ultra-cold and warm atomic vapors. While these materials demonstrate the principle, they do not have the inherent scalability of solid state systems. To address this problem, I have succeeded in producing ultra-slow and stopped light in a crystal of Pr doped Y_2SiO_5 , which is commonly used for spectral hole burning (SHB) memories. The observed performance is similar to that of the atomic vapor. Now I am developing the techniques to manipulate the light group velocity of individual photons. The goal is to develop a robust quantum storage device that can be used to develop near-term quantum communication and computing systems.

Applications: The primary application is to quantum storage, which is essential for most quantum computing and communication schemes.

Room temperature slow-light in solids:

Background: Slow and stopped light has the promise to provide tunable optical delays for applications such as radar beam steering and optical buffer memories for all-optical routing. In radar systems, tunable delay lines are needed to suppress “squint” which can severely limit the ability to discriminate between signal and jamming sources. In high-speed fiber communication systems, the need to convert the optical signal into an electronic signal and then back into an optical signal, in order to accomplish routing, is a major speed-limiting bottleneck. To solve this problem, all optical routers are needed. Promising approaches exist for most router elements, with the exception of buffer memories. Slow light can potentially solve this problem by providing a real-time adjustable propagation

delay. For both of these applications, slow light must be implemented in a room temperature solid state system. So far, a few techniques have been demonstrated, including my own approach, which involves two-beam coupling in photorefractive crystals. However, until now, all room temperature materials have suffered from a poor time-bandwidth product (TBP), on the order of one, whereas most applications require TBP of 100 to 1000 or more. To solve this problem, I demonstrated that an artificial inhomogeneous broadening, for example Bragg matched gratings, has the potential to solve this critical problem.

Applications: The primary applications are to optical buffer memories for all-optical routers and to true-time delay lines for radar beam steering.

Novel materials for the implementation of dark resonance techniques:

Background: Recently, there has been considerable interest in the use of “dark resonances” in optically dense material for applications such as nonlinear frequency conversion, lasers without inversion, refractive index enhancement, electromagnetically induced transparency, and ultra-slow group velocities. However, as with many other areas of optics and physics, the potential applications of dark resonances has so far been limited by the lack of suitable materials. To gain widespread applicability, it is important to extend dark resonance techniques to solids. To this end, I started working with doped crystals such as Pr doped Y_2SiO_5 . This proved to be very successful as the first solid material to exhibit dark resonances with enough contrast to be suitable for applications. I have also demonstrated the effect in NV diamond, and am currently looking at doped semiconductors.

Applications: Specific applications for the short-term research are already being investigated and will be detailed below. For the long-term research the potential payoff for is large, especially in the areas of nano-scale semiconductors and medicine/biology as mentioned above.

Novel classes of materials for low power nonlinear optics:

Background: Nonlinear optics, especially optical phase conjugation, has numerous applications ranging from optical correlation and aberration correction to spatially broadband squeezed light generation. For many of these applications it is important to have a nonlinear material that is both fast and efficient at low optical pump intensities. Resonant systems are a natural choice because of the large resonant enhancement of their nonlinearities. However, the competing effects of resonant absorption and nonlinear refraction have so far limited how much resonance enhancement can be realized in these systems. To eliminate these problems, Raman “dark resonances” have been exploited. For example, using dark resonances in sodium vapor, a factor of 10 improvement in optical gain was observed at more than 100 times lower pump intensity than in previous work. Moreover, it was shown that large gains on the order of 30 could be achieved with almost no optical aberrations due to self-focussing and beam filamentation. Strong classical noise correlation under high gain conditions has also been observed. Recently, it was shown that this technique give quantum noise correlations, and quantum memory, as well. My prior proof-of-principle experiments showed that the this process can be used to correct optical aberrations caused by a high speed turbulent flow while maintaining high gain and low pump intensities. Extension of this technique to rubidium vapor has been demonstrated. Here it should be possible to use semiconductor lasers to replace the dye lasers needed to excite sodium vapor. Theoretical predictions show that this technique should also work well in solid-state stimulated Brillouin systems.

Applications: Optical phase conjugation, especially in stimulated Brillouin systems has numerous commercial and military applications, for example, aberration correction and beam cleanup is important for master-oscillator-power-amplifier (MOPA) laser sources and infrared-missile-countermeasures (IRCM). Since, these applications are currently limited by the high pump intensity requirement of conventional stimulated Brillouin phase conjugation, dark resonances promise to significantly advance development of such systems.

Materials for ultra-high capacity optical memory:

Background: There is considerable interest in the development of novel materials for ultrahigh-density data storage. Holographic optical materials have shown promise in this area. Among these, polymer-based materials, originally developed in Russia, have shown the best promise so far. However, for demanding applications such as real time target recognition systems, a material with far more storage capacity is needed. A promising class of materials for these more demanding applications is based on optical spectral hole burning (SHB). In SHB materials, a high storage density is achieved by augmenting the spatial degrees freedom with the ability to selectively excite a large number of frequency channels. This material also allows the use of spatial-temporal techniques for all-optical high-speed header recognition and routing. The key requirement is a large ratio of optical inhomogeneous to

homogeneous linewidth. Unfortunately, materials exhibiting a large ratio generally require low temperatures, near that of liquid helium, to operate. This is because phonon interactions rapidly broaden the optical homogeneous linewidth. In contrast, spin transitions are much less sensitive to broadening at high temperatures, but the direct r.f. excitation of spin coherences does not give a large storage density because of the large r.f. wavelength. To solve these problems, I have been exploring the use of Raman excited spin echoes. Here, optical Raman excitation is used to create the “dark” ground state coherences in such a way that the information encoded on the optical fields is stored in a spin coherence that in turn is stable at higher temperatures than an optical coherence. In my first experiments, in a rare-earth doped crystal, I demonstrated a significant increase in operating temperature for spectral-hole burning optical memory.

Applications: For the polymer-based holographic materials, spin-off applications may be more important than memory applications. For example, ultra-narrow holographic filters can be used for dense WDM multiplexers/demultiplexers. Similar techniques can be used to fabricate beam combiners to enable fiber amplifiers to be pumped with much higher laser power. For the spectral holeburning materials, the extra degree of freedom provided by spin coherences, in addition to optical coherences, significantly expands capability. For example, in a high-performance spectral holeburning material, if the optical and spin degrees of freedom are independent, it should in principle be possible to independently address each active atom in the crystal.

Novel semiconductor materials for uncooled infrared detectors and single photon switching:

Background: Recently dark resonances have been proposed for use as optical switches that are sensitive at the single photon level. Ideally, such a switch would absorb pairs of photons, but not single photons. Such a device would also work well as an uncooled infrared detector. By arranging for a visible or near infrared probe laser to only be absorbed when a far infrared photon is present, image upconversion can be realized. The advantage over other two-photon upconversion techniques is that the dark resonance process would have a much lower threshold and would not require phase matching.

Applications: Uncooled or much higher operating temperature infrared detectors that are sensitive to single photons will have numerous military and commercial applications. This is because cryogenics are a major source of system cost and complexity that increases rapidly as operating temperature decreases.

Quantum communication:

Background: A project seeks to demonstrate high-fidelity quantum communication over lossy channels. To do this, polarization-entangled photon pairs will be transmitted down optical fibers to distant Rb atoms held in a far off-resonance optical trap. The polarization-entanglement will then be transferred to spin-entanglement in the atoms using polarization selective Raman transitions and high-Q optical cavities. Once it has been verified that both cavities have captured photons from an entangled pair, the quantum information will then be teleported. The Bell-state measurements required for teleportation will be accomplished by first transferring the quantum information to one of the entangled atoms, using previously proposed cavity QED techniques. Raman transitions will then be used to rotate atomic ground-state superpositions so as to project the Bell state amplitudes onto bare atom states. These bare atom amplitudes can then be measured one at a time using cycling transitions. Finally, teleportation is completed by using Raman transitions to modify the state of the receiving atom.

Applications: The primary application is secure communications.

Atomic clocks and magnetometers based on Raman transitions:

Background: Work was done several years ago to determine the feasibility of using optical Raman interactions to interrogate atomic clock transitions. The advantages include eliminating the need for microwave cavities and state selection and detection magnets. This has the potential to significantly reduce the size and weight of atomic clocks, thereby expanding their applications. For example, improved portable clocks have gained renewed interest in the context of GPS receivers. This work included the observation of Ramsey fringes on the clock transition in a sodium atomic beam and a systematic study of potential clock frequency error sources, such as light shifts. Techniques to reduce these errors to acceptable levels were also developed. As a step toward development of a portable clock, it was shown that the clock transition in a cesium beam could be driven with a high signal to noise, using only a single microwave-frequency modulated semiconductor laser.

Applications: This technique will likely be the basis of the atomic clocks to be included in the next generation of portable GPS receivers.

Self organized grating-assisted optical gain:

Background: The ability of a collection of atoms, having only optical interactions, to spontaneously organize grating-like structures was observed. These grating structures were shown to enhance the optical gain experienced by a counter propagating probe wave. Spontaneous cavity-assisted lasing was also observed when these gratings were formed. Potential applications of this effect include the generation of high power X-rays by using the internal degrees of freedom in atoms (or other particles) to enhance the grating-like structures produced in free-electron lasers.

Optoelectronic systems employing feedback:

Background: In electronics, real-time feedback is key element in numerous devices and systems. However, in optoelectronics, it is rarely used, especially in imaging systems. To demonstrate the potential advantages of using optical feedback, experiments were performed using a smart pixel array, consisting of a liquid crystal modulator array, with multiple detectors per pixel, and a lens array. Experiments with positive feedback were used to demonstrate several logic operations on an array scale. Negative feedback was used to suppress nonlinearities, including pixel-to-pixel variations, in the operation of a detector array.

New and Continuing Research Directions

Single molecule magnetic resonance imaging under ambient conditions

Novel imaging schemes for sub-Rayleigh and sub-wavelength imaging

Quantum imaging and lithography with classical light

Ultra-sensitive magnetometry using nitrogen-vacancy (NV) diamond

Indestructible fluorescent markers for sub-wavelength cellular probing

Nanotechnology and nanoscale optics

Ultrasound modulated optical tomography (UOT) with spectral hole burning (SHB) materials

Room temperature few-qubit solid state quantum computers in diamond

Publications: 132 refereed, 144 conference

Citations: 6489, last 5 years: 1201, h-index: 39

Refereed journal publications:

1. Fedotov, IV; Blakley, SM; Serebryannikov, EE; Hemmer, P; Scully, MO; Zheltikov, AM, "High-resolution magnetic field imaging with a nitrogen-vacancy diamond sensor integrated with a photonic-crystal fiber," OPTICS LETTERS 41 (3) Pages: 472-475 (FEB 1 2016) DOI: 10.1364/OL.41.000472
2. Hemmer, Philip; Gomes, Carmen, Single proteins under a diamond spotlight, MAR 6 2015, SCIENCE 347, 1071-1072. Times cited: 0
3. Rogers, Lachlan J.; Jahnke, Kay D.; Metsch, Mathias H.; Sipahigil, A; Binder, JM; Teraji, T; Sumiya, H; Isoya, J; Lukin, MD; Hemmer, P; Jelezko, F, All-Optical Initialization, Readout, and Coherent Preparation of Single Silicon-Vacancy Spins in Diamond, PHYSICAL REVIEW LETTERS 113, 263602 Published: DEC 22 2014. Times cited: 1
4. Fedotov, I. V.; Doronina-Amitonova, L. V.; Sidorov-Biryukov, D. A.; Safronov, NA; Levchenko, AO; Zibrov, SA; Blakley, S; Perez, H; Akimov, AV; Fedotov, AB; Hemmer, P; Sakoda, K; Velichansky, VL; Scully, MO; Zheltikov, AM, Fiber-optic magnetometry with randomly oriented spin, DEC 1 2014, OPTICS LETTERS 39, 6755-6758. Times cited: 0
5. Thompson, Jonathan V.; Ballmann, Charles W.; Cai, Han; Yi, ZH; Rostovtsev, YV; Sokolov, AV; Hemmer, P; Zheltikov, AM; Ariunbold, GO; Scully, MO, Pulsed cooperative backward emissions from non-degenerate atomic transitions in sodium, OCT 9 2014, NEW JOURNAL OF PHYSICS 16, 103017. Times cited: 0
6. Scheuer, J; Kong, X; Said, RS; Chen, J ; Kurz, A; Marseglia, L; Du, JF; Hemmer, PR; Montangero, S; Calarco, T; Naydenov, B; Jelezko, F, "Precise qubit control beyond the rotating wave approximation," SEP 19 2014, NEW JOURNAL OF PHYSICS 16, 093022. Times cited: 1

7. Zhang, Xi-Wen; Kalachev, A.; Hemmer, P.; Scully, MO; Kocharovskaya, O, Quantum memory based on phase matching control, SEP 2014, *LASER PHYSICS* 24, 094016. Times cited: 1
8. Igor I. Vlasov, Andrey A. Shiryaev, Torsten Rendler, Steffen Steinert, Sang-Yun Lee, Denis Antonov, Marton Voros, Fedor Jelezko, Anatolii V. Fisenko, Lubov F. Semjonova, Johannes Biskupek, Ute Kaiser, Oleg I. Lebedev, Ilmo Sildos, Philip. R. Hemmer, Vitaly I. Konov, Adam Gali and Joerg Wrachtrup, Molecular-sized fluorescent nanodiamonds, Jan 2014, *NATURE NANOTECHNOLOGY* 9, p 54. Times cited: 17
9. Yum, HN; Scheuer, J.; Salit, M.; Hemmer, P. R.; Shahriar, M. S.; Demonstration of White Light Cavity Effect Using Stimulated Brillouin Scattering in a Fiber Loop, Dec 2013, *JOURNAL OF LIGHTWAVE TECHNOLOGY* 31, (23), 3865-3872. Times cited: 1
10. Yum, H. N.; Liu, X.; Hemmer, P. R.; Scheuer, J.; Shahriar, M. S.; The fundamental limitations on the practical realizations of white light cavities, Sept 2013, *OPTICS COMMUNICATIONS* 305, 260-266. Times cited: 4
11. Ge, Wenchao; Hemmer, P. R.; Zubairy, M. Suhail, Quantum lithography with classical light, Feb 2013, *PHYSICAL REVIEW A* 87 (2), 023818, Times cited: 3
12. Hemmer, Philip, Toward Molecular-Scale MRI, Feb 1, 2013, *SCIENCE* 339 (6119), 529-530, Times cited: 2
13. Acosta, Victor; Hemmer, Philip; Nitrogen-vacancy centers: Physics and applications, FEB 2013, *MRS BULLETIN* 38 (2), 127-133, Times cited: 1
14. Kim, Edwin; Acosta, Victor M.; Bauch, Erik; Budker, Dmitry; Hemmer, Philip R., AUG 20 2012, Electron spin resonance shift and linewidth broadening of nitrogen-vacancy centers in diamond as a function of electron irradiation dose, *APPLIED PHYSICS LETTERS* 101 (8), 082410, Times Cited:1
15. Kolesov, R.; Xia, K.; Reuter, R.; Stoehr, R.; Zappe, A.; Meijer, J.; Hemmer, P. R.; Wrachtrup, J., AUG 2012, Optical detection of a single rare-earth ion in a crystal, *NATURE COMMUNICATIONS* 3, 1029, Times Cited: 26
16. Hemmer, Philip R.; Zapata, Todd; AUG 2012, The universal scaling laws that determine the achievable resolution in different schemes for super-resolution imaging *JOURNAL OF OPTICS* 14 (8), 083002, Times Cited: 4
17. Shahriar, M. S.; Kumar, P.; Hemmer, P. R.; JUN 28 2012, Connecting processing-capable quantum memories over telecommunication links via quantum frequency conversion, *JOURNAL OF PHYSICS B-ATOMIC MOLECULAR AND OPTICAL PHYSICS* 45 (12 S1), 124018, Times Cited:10
18. Wang, Kai; Strycker, BD; Voronine, DV ; Jha, PK ; Scully, MO; Meyers, RE; Hemmer, P; Sokolov, AV; Remote sub-diffraction imaging with femtosecond laser filaments, APR 15 2012, *OPTICS LETTERS* 37 (8), 1343-1345, Times cited: 2
19. Sizhuk, Andrii; Hemmer, Philip; Kinetics and Optical Properties of the Strongly Driven Gas Medium of Interacting Atoms , APR 2012, *JOURNAL OF STATISTICAL PHYSICS* Volume: 147 Issue: 1 Pages: 132-180, Times cited: 0
20. Zhang, Huiliang; Sabooni, Mahmood; Rippe, Lars; Kim, Chulhong; Kroell, Stefan; Wang, Lihong V.; Hemmer, Philip R.; MAR 26 2012, Slow light for deep tissue imaging with ultrasound modulation, *APPLIED PHYSICS LETTERS* 100 (13), 131102, Times Cited: 4
21. Yang, Wenlong; Zhang, Huiliang; Kim, Changdong; Butta, Nakul; Liang, Hong; Hemmer, Philip R.; JAN-FEB 2012, In Situ metal tip sharpening of scanning probe microscopes, *SCANNING* 34 (1), Pages: 76-79. Times Cited: 0
22. Gaebel, T., Bradac, C., Chen, J., Say, J., Brown, L., Hemmer, P., Rabeau, J., 2012. Size-reduction of nanodiamonds via air oxidation. *Diamond and Related Materials*, 21, 28-32
23. Julia Tisler, Rolf Reuter, Anke Laemmle, Fedor Jelezko, Gopalakrishnan Balasubramanian, Philip R Hemmer, Friedemann Reinhard, Joerg Wrachtrup 2011, Highly Efficient FRET from a Single Nitrogen-Vacancy Center in Nanodiamonds to a Single Organic Molecule, *ACS NANO* 5,7893-7898. Times Cited: 11
24. Bernhard Grotz, Johannes Beck, Philipp Neumann, Boris Naydenov, Rolf Reuter, Friedemann Reinhard, Fedor Jelezko, Jörg Wrachtrup David Schweinfurth, Biprajit Sarkar, Philip Hemmer 2011. Sensing external spins with NV diamond. *NEW JOURNAL OF PHYSICS* 13: art. no.- 055004.. Times Cited: 15
25. Pham, LM; Le Sage, D; Stanwix, PL; Yeung, TK; Glenn, D; Trifonov, A; Cappellaro, P; Hemmer, PR; Lukin, MD; Park, H; Yacoby, A; Walsworth, RL. 2011. Magnetic field imaging with nitrogen-vacancy ensembles. *NEW JOURNAL OF PHYSICS* 13: art. no.-045021.. Times Cited: 27
26. Hemmer, PR; Miles, RB; Polynkin, P; Siebert, T; Sokolov, AV; Sprangle, P; Scully, MO. 2011. Standoff spectroscopy via remote generation of a backward-propagating laser beam. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA* 108 (8): 3130-3134. Times Cited: 25

27. Fedder, H; Dolde, F; Rempp, F; Wolf, T; Hemmer, P; Jelezko, F; Wrachtrup, J. 2011. Towards T1-limited magnetic resonance imaging using Rabi beats. *APPLIED PHYSICS B-LASERS AND OPTICS* 102 (3): 497-502. Times Cited: 0
28. Stanwix, PL; Pham, LM; Maze, JR; Le Sage, D; Yeung, TK; Cappellaro, P; Hemmer, PR; Yacoby, A; Lukin, MD; Walsworth, RL. 2010. Coherence of nitrogen-vacancy electronic spin ensembles in diamond. *PHYSICAL REVIEW B* 82 (20): art. no.-201201.. Times Cited: 45
29. Peng, LH; Zhang, HL; Yang, B; Tang, LQ; Hemmer, P; Liang, H. 2010. Stress-Induced Nanostructures Through Laser-Assisted Scanning Probe Nanolithography. *SCANNING* 32 (5): 327-335. Times Cited: 1
30. Togan, E; Chu, Y; Trifonov, AS; Jiang, L; Maze, J; Childress, L; Dutt, MVG; Sorensen, AS; Hemmer, PR; Zibrov, AS; Lukin, MD. 2010. Quantum entanglement between an optical photon and a solid-state spin qubit. *NATURE* 466 (7307): 730-4. Times Cited: 281
31. Neumann, P; Beck, J; Steiner, M; Rempp, F; Fedder, H; Hemmer, PR; Wrachtrup, J; Jelezko, F. 2010. Single-Shot Readout of a Single Nuclear Spin. *SCIENCE* 329 (5991): 542-544. Times Cited: 106
32. Babinec, TM; Hausmann, BJM; Khan, M; Zhang, YA; Maze, JR; Hemmer, PR; Loncar, M. 2010. A diamond nanowire single-photon source. *NATURE NANOTECHNOLOGY* 5 (3): 195-199. Times Cited: 160
33. Li, Hebin ; Sautenkov, Vladimir A.; Rostovtsev, Yuri V.; Welch, George R.; Hemmer, Philip R.; Scully, Marlan O.; "Electromagnetically induced transparency controlled by a microwave field," AUG 2009, *PHYSICAL REVIEW A* 80 (2), Article Number: 023820. Times Cited: 49
34. Shin, C; Kim, C; Kolesov, R; Balasubramanian, G; Jelezko, F; Wrachtrup, J; Hemmer, PR. 2010. Sub-optical resolution of single spins using magnetic resonance imaging at room temperature in diamond. *JOURNAL OF LUMINESCENCE* 130 (9): 1635-1645, Times Cited: 10
35. Tisler, J; Balasubramanian, G; Naydenov, B; Kolesov, R; Grotz, B; Reuter, R; Boudou, JP; Curmi, PA; Sennour, M; Thorel, A; Borsch, M; Aulenbacher, K; Erdmann, R; Hemmer, PR; Jelezko, F; Wrachtrup, J. 2009. Fluorescence and Spin Properties of Defects in Single Digit Nanodiamonds. *ACS NANO* 3 (7): 1959-1965.. Times Cited: 80
36. Kolesov, R; Grotz, B; Balasubramanian, G; Stohr, RJ; Nicolet, AAL; Hemmer, PR; Jelezko, F; Wrachtrup, J. 2009. Wave-particle duality of single surface plasmon polaritons. *NATURE PHYSICS* 5 (7): 470-474.. Times Cited: 99
37. Balasubramanian, G; Neumann, P; Twitchen, D; Markham, M; Kolesov, R; Mizuochi, N; Isoya, J; Achard, J; Beck, J; Tissler, J; Jacques, V; Hemmer, PR; Jelezko, F; Wrachtrup, J. 2009. Ultralong spin coherence time in isotopically engineered diamond. *NATURE MATERIALS* 8 (5): 383-387. Times Cited: 332
38. Jiang, L; Hodges, JS; Maze, JR; Maurer, P; Taylor, JM; Cory, DG; Hemmer, PR; Walsworth, RL; Yacoby, A; Zibrov, AS; Lukin, MD. 2009. Repetitive Readout of a Single Electronic Spin via Quantum Logic with Nuclear Spin Ancillae. *SCIENCE* 326 (5950): 267-272. Times Cited: 84
39. Hemmer, P; Wrachtrup, J. 2009. Where Is My Quantum Computer?. *SCIENCE* 324 (5926): 473-474.. Times Cited: 2
40. Yum, H. N.; Salit, M.; Pati, G. S.; Tseng, S.; Hemmer, P. R.; Shahriar, M. S.; 2008 "Fast-light in a photorefractive crystal for gravitational wave detection," *OPTICS EXPRESS* 16 (25), Pages: 20448-20456. Times Cited: 17
41. Taylor, JM; Cappellaro, P; Childress, L; Jiang, L; Budker, D; Hemmer, PR; Yacoby, A; Walsworth, R; Lukin, MD. 2008. High-sensitivity diamond magnetometer with nanoscale resolution. *NATURE PHYSICS* 4 (10): 810-816.. Times Cited: 217
42. Li, YZ; Hemmer, P; Kim, CH; Zhang, HL; Wang, LHV. 2008. Detection of ultrasound-modulated diffuse photons using spectral-hole burning. *OPTICS EXPRESS* 16 (19): 14862-14874. Times Cited: 26
43. Balasubramanian, G; Chan, IY; Kolesov, R; Al-Hmoud, M; Tisler, J; Shin, C; Kim, C; Wojcik, A; Hemmer, PR; Krueger, A; Hanke, T; Leitenstorfer, A; Bratschitsch, R; Jelezko, F; Wrachtrup, J. 2008. Nanoscale imaging magnetometry with diamond spins under ambient conditions. *NATURE* 455 (7213): 648. Times Cited: 264
44. Li, YZ; Zhang, HL; Kim, CH; Wagner, KH; Hemmer, P; Wang, LV. 2008. Pulsed ultrasound-modulated optical tomography using spectral-hole burning as a narrowband spectral filter. *APPLIED PHYSICS LETTERS* 93 (1): art. no.-011111.. Times Cited: 27
45. Neumann, P; Mizuochi, N; Rempp, F; Hemmer, P; Watanabe, H; Yamasaki, S; Jacques, V; Gaebel, T; Jelezko,

- F; Wrachtrup, J. 2008. Multipartite entanglement among single spins in diamond. *SCIENCE* 320 (5881): 1326-1329. Times Cited: 120
46. Tamarat, P; Manson, NB; Harrison, JP; McMurtrie, RL; Nizovtsev, A; Santori, C; Beausoleil, RG; Neumann, P; Gaebel, T; Jelezko, F; Hemmer, P; Wrachtrup, J. 2008. Spin-flip and spin-conserving optical transitions of the nitrogen-vacancy centre in diamond. *NEW JOURNAL OF PHYSICS* 10: art. no.-045004.. Times Cited: 29
 47. Batalov, A; Zierl, C; Gaebel, T; Neumann, P; Chan, IY; Balasubramanian, G; Hemmer, PR; Jelezko, F; Wrachtrup, J. 2008. Temporal coherence of photons emitted by single nitrogen-vacancy defect centers in diamond using optical Rabi-oscillations. *PHYSICAL REVIEW LETTERS* 100 (7): art. no.-077401.. Times Cited: 49
 48. Akimov, AV; Mukherjee, A; Yu, CL; Chang, DE; Zibrov, AS; Hemmer, PR; Park, H; Lukin, MD. 2007. Generation of single optical plasmons in metallic nanowires coupled to quantum dots. *NATURE* 450 (7168): 402-406.. Times Cited: 442
 49. Chang, D. E.; Sorensen, A. S.; Hemmer, P. R.; Lukin, M. D.; 2007 "Strong coupling of single emitters to surface plasmons," *PHYSICAL REVIEW B* 76 (3), Article Number: 035420. Times Cited: 105
 50. Sun, QQ; Hemmer, PR; Zubairy, MS. 2007. Quantum lithography with classical light: Generation of arbitrary patterns. *PHYSICAL REVIEW A* 75 (6): art. no.-065803.. Times Cited: 15
 51. Dutt, MVG; Childress, L; Jiang, L; Togan, E; Maze, J; Jelezko, F; Zibrov, AS; Hemmer, PR; Lukin, MD. 2007. Quantum register based on individual electronic and nuclear spin qubits in diamond. *SCIENCE* 316 (5829): 1312-1316. Times Cited: 285
 52. Xu, X; Zhang, HL; Hemmer, P; Qing, DK; Kim, C; Wang, LV. 2007. Photorefractive detection of tissue optical and mechanical properties by ultrasound modulated optical tomography. *OPTICS LETTERS* 32 (6): 656-658.. Times Cited: 27
 53. Santori, C; Tamarat, P; Neumann, P; Wrachtrup, J; Fattal, D; Beausoleil, RG; Rabeau, J; Olivero, P; Greentree, AD; Prawer, S; Jelezko, F; Hemmer, P. 2006. Coherent population trapping of single spins in diamond under optical excitation. *PHYSICAL REVIEW LETTERS* 97 (24): art. no.-247401. Times Cited: 120
 54. Nevels, R; Jeong, J; Hemmer, P. 2006. Microwave simulation of Grover's quantum search Algorithm. *IEEE ANTENNAS AND PROPAGATION MAGAZINE* 48 (5): 38-47. Times Cited: 2
 55. Childress, L; Dutt, MVG; Taylor, JM; Zibrov, AS; Jelezko, F; Wrachtrup, J; Hemmer, PR; Lukin, MD. 2006. Coherent dynamics of coupled electron and nuclear spin qubits in diamond. *SCIENCE* 314 (5797): 281-285.. Times Cited: 348
 56. Tamarat, P; Gaebel, T; Rabeau, JR; Khan, M; Greentree, AD; Wilson, H; Hollenberg, LCL; Prawer, S; Hemmer, P; Jelezko, F; Wrachtrup, J. 2006. Stark shift control of single optical centers in diamond. *PHYSICAL REVIEW LETTERS* 97 (8): art. no.-083002.. Times Cited: 58
 57. Chang, DE; Sorensen, AS; Hemmer, PR; Lukin, MD. 2006. Quantum optics with surface plasmons. *PHYSICAL REVIEW LETTERS* 97 (5): art. no.-053002.. Times Cited: 275
 58. Gaebel, T; Domhan, M; Popa, I; Wittmann, C; Neumann, P; Jelezko, F; Rabeau, JR; Stavrias, N; Greentree, AD; Prawer, S; Meijer, J; Twamley, J; Hemmer, PR; Wrachtrup, J. 2006. Room-temperature coherent coupling of single spins in diamond. *NATURE PHYSICS* 2 (6): 408-413.. Times Cited: 225
 59. Hemmer, PR; Muthukrishnan, A; Scully, MO; Zubairy, MS. 2006. Quantum lithography with classical light. *PHYSICAL REVIEW LETTERS* 96 (16): art. no.-163603.. Times Cited: 41
 60. Deng, ZJ; Qing, DK; Hemmer, P; Ooi, CHR; Zubairy, MS; Scully, MO. 2006. Time-bandwidth problem in room temperature slow light. *PHYSICAL REVIEW LETTERS* 96 (2): art. no.-023602.. Times Cited: 24
 61. Gaebel, T; Domhan, M; Wittmann, C; Popa, I; Jelezko, F; Rabeau, J; Greentree, A; Prawer, S; Trajkov, E; Hemmer, PR; Wrachtrup, J. 2006. Photochromism in single nitrogen-vacancy defect in diamond. *APPLIED PHYSICS B-LASERS AND OPTICS* 82 (2): 243-246. Times Cited: 41
 62. Shin, CS; Qing, DK; Deng, ZJ; Hemmer, PR. 2005. Enhancement of electromagnetic fields with subwavelength microwave resonators. *PHYSICAL REVIEW B* 72 (19): art. no.-193102.. Times Cited: 0
 63. Deng, ZJ; Qing, DK; Hemmer, PR; Zubairy, MS. 2005. Implementation of optical associative memory by a computer-generated hologram with a novel thresholding scheme. *OPTICS LETTERS* 30 (15): 1944-1946.. Times Cited: 0
 64. Shahriar, MS; Pradhan, P; Tan, Y; Jheeta, M; Morzinski, J; Hemmer, PR. 2005. Demonstration of a

- continuously guided atomic interferometer by single-zone optical excitation. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 22 (7): 1566-1570. Times Cited: 0
65. Zhao XX, Palinginis P, Pesala B, Chang-Hasnain CJ, Hemmer P, 2005. Tunable ultraslow light in vertical-cavity surface-emitting laser amplifier. *Optics Express* 13 (20): 7899-7904. Times Cited:43
 66. Yum, HN; Hemmer, PR; Heifetz, A; Shen, JT; Lee, JK; Tripathi, R; Shahriar, MS; 2005. "Demonstration of a multiwave coherent holographic beam combiner in a polymeric substrate," *OPTICS LETTERS* 30 (22), Pages: 3012-3014. Times Cited: 2
 67. Yum, HN; Hemmer, PR; Tripathi, R; Shen, JT; Shahriar, MS. 2004. Demonstration of a simple technique for determining the M/# of a holographic substrate by use of a single exposure. *OPTICS LETTERS* 29 (15): 1784-1786.. Times Cited: 2
 68. Ham, BS; Hemmer, PR. 2003. Population shelved all-optical modulation. *PHYSICAL REVIEW B* 68 (7): art. no.-073102.. Times Cited: 9
 69. Kuznetsova, E; Kocharovskaya, O; Hemmer, P; Scully, MO. 2002. Atomic interference phenomena in solids with a long-lived spin coherence. *PHYSICAL REVIEW A* 66 (6): art. no.-063802.. Times Cited: 46
 70. Shahriar, MS; Hemmer, PR; Lloyd, S; Bhatia, PS; Craig, AE. 2002. Solid-state quantum computing using spectral holes. *PHYSICAL REVIEW A* 66 (3): art. no.-032301.. Times Cited: 38
 71. Yelin, SF; Hemmer, PR. 2002. Resonantly enhanced nonlinear optics in semiconductor quantum wells: An application to sensitive infrared detection. *PHYSICAL REVIEW A* 66 (1): art. no.-013803. Times Cited: 25
 72. Turukhin, AV; Sudarshanam, VS; Shahriar, MS; Musser, JA; Ham, BS; Hemmer, PR. 2002. Observation of ultraslow and stored light pulses in a solid. *PHYSICAL REVIEW LETTERS* 88 (2): art. no.-023602.. Times Cited: 386
 73. J. Khoury, J.S. Kane, P.D. Gianino, P.R. Hemmer, C.L. Woods. Homodyne and heterodyne imaging through a scattering medium, 2001, *Optics Letters* 26, 1433-1435. Times Cited: 6
 74. Lloyd, S; Shahriar, MS; Shapiro, JH; Hemmer, PR. 2001. Long distance, unconditional teleportation of atomic states via complete Bell state measurements. *PHYSICAL REVIEW LETTERS* 87 (16): art. no.-167903.. Times Cited: 88
 75. Shahriar, MS; Bowers, JA; Demsky, B; Bhatia, PS; Lloyd, S; Hemmer, PR; Craig, AE. 2001. Cavity dark states for quantum computing. *OPTICS COMMUNICATIONS* 195 (5-6): 411-417. Times Cited: 16
 76. Xia, XW; Hsiung, D; Bhatia, PS; Shahriar, MS; Grove, TT; Hemmer, PR. 2001. Polarization selective motional holeburning for high efficiency, degenerate optical phase conjugation in rubidium. *OPTICS COMMUNICATIONS* 191 (3-6): 347-351. Times Cited: 3
 77. Hemmer, PR; Turukhin, AV; Shahriar, MS; Musser, JA. 2001. Raman-excited spin coherences in nitrogen-vacancy color centers in diamond. *OPTICS LETTERS* 26 (6): 361-363. Times Cited: 68
 78. Shahriar, MS; Turukhin, AV; Liptay, T; Tan, Y; Hemmer, PR. 2000. Demonstration of injection locking a diode laser using a filtered electro-optic modulator sideband. *OPTICS COMMUNICATIONS* 184 (5-6): 457-462. Times Cited: 5
 79. Kim, MK; Ham, BS; Hemmer, PR; Shahriar, MS. 2000. Observation of sub-kilohertz resonance in Rf-optical double resonance experiment in rare earth ions in solids. *JOURNAL OF MODERN OPTICS* 47 (10): 1713-1728. Times Cited: 3
 80. Ham, BS; Hemmer, PR. 2000. Coherence switching in a four-level system: Quantum switching. *PHYSICAL REVIEW LETTERS* 84 (18): 4080-4083. Times Cited: 127
 81. Lukin, MD; Hemmer, PR. 2000. Quantum entanglement via optical control of atom-atom interactions. *PHYSICAL REVIEW LETTERS* 84 (13): 2818-2821. Times Cited: 87
 82. Ham, BS; Hemmer, PR; Kim, MK; Shahriar, SM. 1999. Quantum interference and its potential applications in a spectral hole-burning solid. *LASER PHYSICS* 9 (4): 788-796. Times Cited: 1
 83. Ham, BS; Hemmer, PR; Shahriar, MS. 1999. Observation of laser-jitter-enhanced hyperfine spectroscopy and two-photon spectral hole-burning. *OPTICS COMMUNICATIONS* 164 (1-3): 129-136.. Times Cited: 2
 84. Ham, BS; Shahriar, SM; Hemmer, PR. 1999. Electromagnetically induced transparency over spectral hole-burning temperature in a rare-earth-doped solid. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 16 (5): 801-804. Times Cited: 11
 85. Ham, BS; Hemmer, PR; Shahriar, MS. 1999. Efficient phase conjugation via two-photon coherence in an

- optically dense crystal. *PHYSICAL REVIEW A* 59 (4): R2583-R2586. Times Cited: 15
86. Sudarshanam, VS; Cronin-Golomb, M; Hemmer, PR; Shahriar, MS. 1999. Raman phase conjugate resonator for intracavity aero-optic turbulence aberration correction. *OPTICS COMMUNICATIONS* 160 (4-6): 283-288.. Times Cited: 1
87. Ham, BS; Shahriar, MS; Hemmer, PR. 1999. Enhancement of four-wave mixing and line narrowing by use of quantum coherence in an optically dense double-Lambda solid. *OPTICS LETTERS* 24 (2): 86-88. Times Cited: 24
88. Shahriar, MS; Hemmer, PR. 1998. Generation of squeezed states and twin beams via non-degenerate four-wave mixing in a Lambda system. *OPTICS COMMUNICATIONS* 158 (1-6): 273-286.. Times Cited: 7
89. Ham, BS; Shahriar, MS; Kim, MK; Hemmer, PR. 1998. Spin coherence excitation and rephasing with optically shelved atoms. *PHYSICAL REVIEW B* 58 (18): R11825-R11828. Times Cited: 1
90. Lukin, MD; Hemmer, PR; Löffler, M; Scully, MO. 1998. Resonant enhancement of parametric processes via radiative interference and induced coherence. *PHYSICAL REVIEW LETTERS* 81 (13): 2675-2678. Times Cited: 128
91. Hsiung, DS; Xia, XW; Grove, TT; Shahriar, MS; Hemmer, PR. 1998. Demonstration of a phase conjugate resonator using degenerate four-wave mixing via coherent population trapping in rubidium. *OPTICS COMMUNICATIONS* 154 (1-3): 79-82. Times Cited: 5
92. Ham, BS; Shahriar, MS; Hemmer, PR. 1998. Radio-frequency-induced optical gain in Pr³⁺: Y₂SiO₅. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 15 (5): 1541-1544. Times Cited: 7
93. Kane, JS; Kincaid, TG; Hemmer, P. 1998. Optical processing with feedback using smart-pixel spatial light modulators. *OPTICAL ENGINEERING* 37 (3): 942-947. Times Cited: 3
94. B.S. Ham, M. S. Shahriar, and P. R. Hemmer. 1998. RF coupled optical gain in a solid owing to quantum interference. *Optics and Photonics News*, December. Times Cited: 0
95. Ham, BS; Shahriar, MS; Kim, MK; Hemmer, PR. 1997. Frequency-selective time-domain optical data storage by electromagnetically induced transparency in a rare-earth-doped solid. *OPTICS LETTERS* 22 (24): 1849-1851. Times Cited: 89
96. Ham, BS; Hemmer, PR; Shahriar, MS. 1997. Efficient electromagnetically induced transparency in a rare-earth doped crystal. *OPTICS COMMUNICATIONS* 144 (4-6): 227-230. Times Cited: 148
97. Grove, TT; Rousseau, E; Xia, XW; Hsiung, DS; Shahriar, MS; Hemmer, PR. 1997. Efficient and fast optical phase conjugation by use of two-photon-induced gratings in the orientation of angular momentum. *OPTICS LETTERS* 22 (22): 1677-1679. Times Cited: 15
98. Ham, BS; Shahriar, MS; Hemmer, PR. 1997. Enhanced nondegenerate four-wave mixing owing to electromagnetically induced transparency in a spectral hole-burning crystal. *OPTICS LETTERS* 22 (15): 1138-1140.. Times Cited: 118
99. Sudarshanam, VS; CroninGolomb, M; Hemmer, PR; Shahriar, MS. 1997. Turbulence-aberration correction with high-speed high-gain optical phase conjugation in sodium vapor. *OPTICS LETTERS* 22 (15): 1141-1143.. Times Cited: 12
100. Ludman, JE; Riccobono, JR; Reinhand, NO; Semenova, IV; Korzinin, YL; Shahriar, SM; Caulfield, HJ; Fournier, JM; Hemmer, P. 1997. Very thick holographic nonspatial filtering of laser beams. *OPTICAL ENGINEERING* 36 (6): 1700-1705.. Times Cited: 25
101. Grove, TT; Shahriar, MS; Hemmer, PR; Kumar, P; Sudarshanam, VS; CroninGolomb, M. 1997. Distortion-free gain and noise correlation in sodium vapor with four-wave mixing and coherent population trapping. *OPTICS LETTERS* 22 (11): 769-771.. Times Cited: 27
102. Shahriar, MS; Hemmer, PR; Katz, DP; Lee, A; Prentiss, MG. 1997. Dark-state-based three-element vector model for the stimulated Raman interaction. *PHYSICAL REVIEW A* 55 (3): 2272-2282.. Times Cited: 26
103. Y. Zhao and P.R. Hemmer, 1997. Electromagnetically Induced Transparency in Solids. *Optics and Photonics News*, December. Times Cited: 0
104. Hemmer, PR; Bigelow, NP; Katz, DP; Shahriar, MS; DeSalvo, L; Bonifacio, R. 1996. Self-organization, broken symmetry, and lasing in an atomic vapor: The interdependence of gratings and gain. *PHYSICAL REVIEW LETTERS* 77 (8): 1468-1471.. Times Cited: 44

105. EZEKIEL, S; SMITH, SP; SHAHRIAR, MS; HEMMER, PR. 1995. NEW OPPORTUNITIES IN FIBEROPTIC SENSORS. *JOURNAL OF LIGHTWAVE TECHNOLOGY* 13 (7): 1189-1192.. Times Cited: 6
106. HEMMER, PR; KATZ, DP; DONOGHUE, J; CRONINGOLOMB, M; SHAHRIAR, MS; KUMAR, P. 1995. EFFICIENT LOW-INTENSITY OPTICAL-PHASE CONJUGATION BASED ON COHERENT POPULATION TRAPPING IN SODIUM. *OPTICS LETTERS* 20 (9): 982-984.. Times Cited: 241
107. CHU, A; KATZ, DP; PRENTISS, M; SHAHRIAR, MS; HEMMER, PR. 1995. SEMICLASSICAL CALCULATION OF THE DIFFUSION CONSTANT FOR THE LAMBDA-SYSTEM MOMENTUM. *PHYSICAL REVIEW A* 51 (3): 2289-2293. Times Cited: 1
108. SHAHRIAR, MS; KATZ, DP; CHU, A; MERVIS, J; PRENTISS, MG; CAI, T; BIGELOW, NP; MARTE, P; ZOLLER, P; HEMMER, PR. 1994. COOLING-ASSISTED AND CONFINEMENT-ASSISTED VELOCITY-SELECTIVE COHERENT POPULATION TRAPPING USING STANDING-WAVE RAMAN EXCITATION. *LASER PHYSICS* 4 (5): 848-862. Times Cited: 2
109. KHOURY, J; KANE, JS; KIERSTEAD, J; WOODS, C; HEMMER, P. 1994. REAL-TIME HOLOGRAPHIC BASEBAND FREQUENCY DEMODULATOR. *APPLIED OPTICS* 33 (14): 2909-2916.. Times Cited: 8
110. HEMMER, PR; CHENG, KZ; KIERSTEAD, J; SHAHRIAR, MS; KIM, MK. 1994. TIME-DOMAIN OPTICAL-DATA STORAGE BY USE OF RAMAN COHERENT POPULATION TRAPPING. *OPTICS LETTERS* 19 (4): 296-298. Times Cited: 26
111. SHAHRIAR, MS; HEMMER, PR; PRENTISS, MG; CHU, A; KATZ, DP; BIGELOW, NP. 1993. PHASE-DEPENDENT VELOCITY-SELECTIVE COHERENT POPULATION TRAPPING IN A FOLDED 3-LEVEL (BOOLEAN-AND) SYSTEM UNDER STANDING-WAVE EXCITATION. *OPTICS COMMUNICATIONS* 103 (5-6): 453-460. Times Cited: 9
112. HEMMER, PR; SHAHRIAR, MS; LAMELARIVERA, H; SMITH, SP; BERNACKI, BE; EZEKIEL, S. 1993. SEMICONDUCTOR-LASER EXCITATION OF RAMSEY FRINGES BY USING A RAMAN TRANSITION IN A CESIUM ATOMIC-BEAM. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 10 (8): 1326-1329. Times Cited: 33
113. M.S. Shahriar, P.R. Hemmer, M.G. Prentiss, P. Marte, J. Mervis, D.P. Katz, N.P. Bigelow, and T. Cai. 1993. Continuous Polarization-gradient Precooling-assisted Velocity-selective Coherent Population Trapping. *Physical Review A (Rapid Communications)* 48, R4035. Times cited: 42
114. HEMMER, PR; SHAHRIAR, MS; PRENTISS, MG; KATZ, DP; BERGGREN, K; MERVIS, J; BIGELOW, NP. 1992. 1ST OBSERVATION OF FORCES ON 3-LEVEL ATOMS IN RAMAN RESONANT STANDING-WAVE OPTICAL-FIELDS. *PHYSICAL REVIEW LETTERS* 68 (21): 3148-3151. Times Cited: 24
115. HEMMER, PR; PRENTISS, MG; SHAHRIAR, MS; BIGELOW, NP. 1992. OPTICAL FORCE ON THE RAMAN DARK STATE IN 2 STANDING WAVES. *OPTICS COMMUNICATIONS* 89 (2-4): 335-342.. Times Cited: 11
116. KHOURY, J; KANE, JS; HEMMER, P; WOODS, C. 1992. BINARY PHASE-ONLY FILTER ASSOCIATIVE MEMORY. *APPLIED OPTICS* 31 (11): 1818-1822.. Times Cited: 12
117. PRENTISS, MG; BIGELOW, NP; SHAHRIAR, MS; HEMMER, PR. 1991. FORCES ON 3-LEVEL ATOMS INCLUDING COHERENT POPULATION TRAPPING. *OPTICS LETTERS* 16 (21): 1695-1697.. Times Cited: 16
118. DONOGHUE, J; CRONINGOLOMB, M; KANE, JS; HEMMER, PR. 1991. SELF-PUMPED OPTICAL-PHASE CONJUGATION WITH A SODIUM RAMAN LASER. *OPTICS LETTERS* 16 (17): 1313-1315.. Times Cited: 11
119. SHAHRIAR, MS; HEMMER, PR. 1990. DIRECT EXCITATION OF MICROWAVE-SPIN DRESSED STATES USING A LASER-EXCITED RESONANCE RAMAN INTERACTION. *PHYSICAL REVIEW LETTERS* 65 (15): 1865-1868. Times Cited: 55
120. HEMMER, PR; SHAHRIAR, MS; NATOLI, VD; EZEKIEL, S. 1989. AC STARK SHIFTS IN A 2-ZONE RAMAN INTERACTION. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 6 (8): 1519-1528. Times Cited: 39
121. BERNACKI, BE; HEMMER, PR; SMITH, SP; EZEKIEL, S. 1988. ALIGNMENT-INSENSITIVE TECHNIQUE FOR WIDEBAND TUNING OF AN UNMODIFIED SEMICONDUCTOR-LASER. *OPTICS LETTERS* 13 (9): 725-727. Times Cited: 4

122. HEMMER, PR; PRENTISS, MG. 1988. COUPLED-PENDULUM MODEL OF THE STIMULATED RESONANCE RAMAN EFFECT. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 5 (8): 1613-1623.. Times Cited: 35
123. HEMMER, PR; ONTAI, GP; EZEKIEL, S. 1986. PRECISION STUDIES OF STIMULATED-RESONANCE RAMAN INTERACTIONS IN AN ATOMIC-BEAM. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 3 (2): 219-230. Times Cited: 47
124. HEMMER, PR; EZEKIEL, S; LEIBY, CC. 1984. PERFORMANCE OF A MICROWAVE CLOCK BASED ON A LASER-INDUCED STIMULATED RAMAN INTERACTION. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B-OPTICAL PHYSICS* 1 (3): 528-528. Times Cited: 1
125. HEMMER, PR; EZEKIEL, S; LEIBY, CC. 1983. STABILIZATION OF A MICROWAVE-OSCILLATOR USING A RESONANCE RAMAN TRANSITION IN A SODIUM BEAM. *OPTICS LETTERS* 8 (8): 440-442. Times Cited: 49
126. THOMAS, JE; HEMMER, PR; EZEKIEL, S; LEIBY, CC; PICARD, RH; WILLIS, CR. 1982. OBSERVATION OF RAMSEY FRINGES USING A STIMULATED, RESONANCE RAMAN TRANSITION IN A SODIUM ATOMIC-BEAM. *PHYSICAL REVIEW LETTERS* 48 (13): 867-870. Times Cited: 158
127. TENCH, RE; PEUSE, BW; HEMMER, PR; THOMAS, JE; EZEKIEL, S; LEIBY, CC; PICARD, RH; WILLIS, CR. 1981. 2 LASER RAMAN DIFFERENCE TECHNIQUE APPLIED TO HIGH-PRECISION SPECTROSCOPY. *JOURNAL DE PHYSIQUE* 42 (NC8): 45-51. Times Cited: 9
128. HEMMER, PR; PEUSE, BW; WU, FY; THOMAS, JE; EZEKIEL, S. 1981. PRECISION ATOMIC-BEAM STUDIES OF ATOM-FIELD INTERACTIONS. *OPTICS LETTERS* 6 (11): 531-533. Times Cited: 17
129. HEMMER, PR; WU, FY; EZEKIEL, S. 1981. INFLUENCE OF ATOMIC RECOIL ON POWER BROADENED LINESHAPES IN 2-LEVEL ATOMS. *OPTICS COMMUNICATIONS* 38 (2): 105-109. Times Cited: 11
130. HEMMER, PR; WU, FY; EZEKIEL, S. 1980. HIGH-RESOLUTION STUDIES OF THE AC STARK-EFFECT IN AN ATOMIC-BEAM AND THE INFLUENCE OF ATOMIC RECOIL. *JOURNAL OF THE OPTICAL SOCIETY OF AMERICA* 70 (6): 625-626. Times Cited: 1
131. HEMMER, TH; YANEY, PP; HEMMER, PR. 1978. EFFECT OF VARIATIONS IN INSTRUMENT FUNCTION ON TEMPERATURE CALCULATED FROM RAMAN-SPECTRUM OF N₂. *BULLETIN OF THE AMERICAN PHYSICAL SOCIETY* 23 (2): 162-162. Times Cited: 0
132. HEMMER, PR; YANEY, PP; ROQUEMORE, WM. 1977. COMPUTER FITS OF CALCULATED RAMAN-SPECTRA OF N₂ TO OBSERVED SPECTRA. *BULLETIN OF THE AMERICAN PHYSICAL SOCIETY* 22 (8): 1039-1040. Times Cited: 0
133. MOHLER, RE; HEMMER, PR; HEITBRIN, MJ; COTHERN, CR. 1973. THICKNESS EFFECT ON K ALPHA-K BETA RATIO OF TIN. *BULLETIN OF THE AMERICAN PHYSICAL SOCIETY* 18 (7): 888-888.. Times Cited: 0

Published conference papers

1. Philip Hemmer, Fahad AlGhannam, Suhail Zubairy, Toward sub-wavelength lithography with atomic coherence, Proc. SPIE 8875, Quantum Communications and Quantum Imaging XI, 88750B (September 26, 2013), Editors: Ronald E. Meyers; Yanhua Shih; Keith S. Deacon, From Conference on Quantum Communications and Quantum Imaging XI, San Diego, California, United States, August 25, 2013
2. Hemmer, Philip R. 2011. Secrets of subwavelength imaging and lithography. *Conference on Quantum Communications and Quantum Imaging IX Location*, Editor(s): Meyers, RE; Shih, Y; Deacon, KS, Conference:: San Diego, CA Date: AUG 24-25, 2011, Proceedings of SPIE Volume: 8163, Article Number: 816303, Published: 2011
3. Hausmann, Birgit J. M.; Khan, Mughees; Zhang, Yinan; Babinec, Tom M.; Martinick, Katie; McCutcheon, Murray; Hemmer, Phil R.; Loncar, Marko;. 2009. Fabrication of diamond nanowires for quantum information processing applications, *20th European Conference on Diamond, Diamond-Like Materials, Carbon Nanotubes and Nitrides*, Athens, GREECE Date: SEP 06-10, 2009, DIAMOND AND RELATED MATERIALS Volume:

- 19 Issue: 5-6 Special Issue: SI Pages: 621-629 Published: MAY-JUN 2010 Times Cited: 21
4. Scully, M; Cremer, P; Hemmer, P; Nevels, R; Phillips, T; Scully, S; Siebert, T; Sokolov, A; Traverso, A; Welch, GR; Wang, K; Wang, X; Xia, H; Yang, W. 2010. Real-time Detection of Bacterial Spores and Food Contaminants Using Coherent Anti-Stokes Raman Spectroscopy. *XXII INTERNATIONAL CONFERENCE ON RAMAN SPECTROSCOPY* 1267: 149-149. edited by Champion, PM; Ziegler, LD. presented at *22nd International Conference on Raman Spectroscopy* in Boston, MA, AUG 08-13, 2010.
 5. Hausmann, B; Bulu, I; Babinec, T; Khan, M; Hemmer, P; Loncar, M. IEEE. 2010. Top-Down Fabricated Hybrid Diamond-Plasmon Nanoparticles. *2010 CONFERENCE ON LASERS AND ELECTRO-OPTICS CLEO AND QUANTUM ELECTRONICS AND LASER SCIENCE CONFERENCE (QELS)*: . presented at *Conference on Lasers and Electro-Optics CLEO/Quantum Electronics and Laser Science Conference (QELS)* in San Jose, CA, MAY 16-21, 2010.
 6. Akimov, AV; Shields, BJ; Yu, CL; Chang, DE; Zibrov, AS; Hemmer, PR; Park, H; Koppens, F; Leon, N; Deotare, PB; Khan, M; Bulu, I; Loncar, M; Lukin, MD. 2010. OPTICAL PLASMONS COUPLED TO QUANTUM DOTS. *11TH INTERNATIONAL CONFERENCE ON OPTICS OF EXCITONS IN CONFINED SYSTEMS (OECS11)* 210: . edited by Vina, L; Tejedor, C; Calleja, JM. presented at *11th International Conference on Optics of Excitons in Confined Systems* in SPAIN, SEP 07-11, 2009.
 7. Maze, JR; Cappellaro, P; Childress, L; Dutt, MVG; Hodges, JS; Hong, S; Jiang, L; Stanwix, PL; Taylor, JM; Togan, E; Zibrov, AS; Hemmer, P; Yacoby, A; Walsworth, RL; Lukin, MD. 2009. Nanoscale magnetic sensing using spin qubits in diamond. *ADVANCED OPTICAL CONCEPTS IN QUANTUM COMPUTING, MEMORY, AND COMMUNICATION II* 7225: art. no.-722509. edited by Hasan, ZU; Craig, AE; Hemmer, PR. presented at *Conference on Advanced Optical Concepts in Quantum Computing, Memory, and Communication II* in San Jose, CA, JAN 28-29, 2009.
 8. Shin, C; Kim, C; Kolesov, R; Balasubramanian, G; Jelezko, F; Wrachtrup, J; Hemmer, PR. 2010. Sub-optical resolution of single spins using magnetic resonance imaging at room temperature in diamond. *JOURNAL OF LUMINESCENCE* 130 (9): 1635-1645, Sp. Iss. SI. presented at *10th International Meeting on Hole Burning, Single Molecule and Related Spectroscopies* in Palm Cove, AUSTRALIA, JUN 22-27, 2009. Times cited: 8
 9. Hausmann, BJM; Khan, M; Zhang, YN; Babinec, TM; Martinick, K; McCutcheon, M; Hemmer, PR; Loncar, M. 2010. Fabrication of diamond nanowires for quantum information processing applications. *DIAMOND AND RELATED MATERIALS* 19 (5-6): 621-629, Sp. Iss. SI. presented at *20th European Conference on Diamond, Diamond-Like Materials, Carbon Nanotubes and Nitrides* in Athens, GREECE, SEP 06-10, 2009.
 10. Babinec, T; Hausmann, B; Khan, M; Hemmer, P; Loncar, M. IEEE. 2009. A Single-Photon Source Based On Diamond Nanowires. *2009 CONFERENCE ON LASERS AND ELECTRO-OPTICS AND QUANTUM ELECTRONICS AND LASER SCIENCE CONFERENCE (CLEO/QELS 2009), VOLS 1-5: 1997-1998*. presented at *Conference on Lasers and Electro-Optics/Quantum Electronics and Laser Science Conference (CLEO/QELS 2009)* in Baltimore, MD, JUN 02-04, 2009.
 11. Zhang, ZG; Chen, G; Diao, ZJ; Hemmer, PR. 2009. NMR Quantum Computing. *ADVANCES IN APPLIED MATHEMATICS AND GLOBAL OPTIMIZATION* 17: 465-520. edited by Gao, DY; Sherali, HD. presented at *1st International Conference on Complementarity, Duality, and Global Optimization* in Blacksburg, VA, AUG 15-17, 2005.
 12. Hemmer, P; Lukin, M. 2008. Room-temperature solid-state quantum processors in diamond - art. no. 697602. *QUANTUM INFORMATION AND COMPUTATION VI* 6976: 97602-97602. edited by Donkor, EJ; Pirich, AR; Brandt, HE. presented at *Conference on Quantum Information and Computation VI* in Orlando, FL, MAR 19-20, 2008.
 13. Li, YZ; Kim, CH; Zhang, HL; Wagner, KH; Hemmer, P; Wang, LV. 2008. Pulsed ultrasound-modulated optical tomography using spectral hole-burning - art. no. 68561R. *PHOTONS PLUS ULTRASOUND: IMAGING AND SENSING 2008: THE NINTH CONFERENCE ON BIOMEDICAL THERMOACOUSTICS, OPTOACOUSTICS, AND ACOUSTIC-OPTICS* 6856: R8561-R8561. edited by Oraevsky, AA; Wang, LV. presented at *9th Conference on Biomedical Thermoacoustics, Optoacoustics and Acousto-optics* in San Jose, CA, JAN 20-23, 2008.
 14. Zhang, HL; Hemmer, P; Wang, P; Rokutanda, S; Yamamoto, M; Wang, LV. 2008. Ultrasound-modulated optical tomography using four-wave mixing in photorefractive polymers - art. no. 68561S. *PHOTONS PLUS ULTRASOUND: IMAGING AND SENSING 2008: THE NINTH CONFERENCE ON BIOMEDICAL THERMOACOUSTICS, OPTOACOUSTICS, AND ACOUSTIC-OPTICS* 6856: S8561-S8561. edited by

- Oraevsky, AA; Wang, LV. presented at *9th Conference on Biomedical Thermoacoustics, Optoacoustics and Acousto-optics* in San Jose, CA, JAN 20-23, 2008.
15. Eisaman, MD; Polyakov, S; Hohensee, M; Fan, JY; Hemmer, P; Migdall, A. 2007. Optimizing the storage and retrieval efficiency of a solid-state quantum memory through tailored state preparation - art. no. 67800K. *QUANTUM COMMUNICATIONS REALIZED* 6780: K7800-K7800. edited by Arakawa, Y; Sasaki, M; Sotobayashi, H. presented at *Conference on Quantum Communications Realized* in Boston, MA, SEP 10-12, 2007.
 16. Hemmer, P; Wrachtrup, J; Jelezko, F; Tamarat, P; Prawer, S; Lukin, M. 2007. Scalable quantum computing in diamond - art. no. 648206. *Advanced Optical and Quantum Memories and Computing IV* 6482: 48206-48206. edited by Hasan, ZU; Craig, AE; Shahriar, SM; Coufal, HJ. presented at *Conference on Advanced Optical and Quantum Memories and Computing IV* in San Jose, CA, JAN 24-25, 2007.
 17. Santori, C; Tamarat, P; Neumann, P; Wrachtrup, J; Fattal, D; Beausoleil, RG; Rabeau, J; Olivero, P; Greentree, AD; Prawer, S; Jelezko, F; Hemmer, P. 2007. Optical manipulation of single spins in diamond - art. no. 648207. *Advanced Optical and Quantum Memories and Computing IV* 6482: 48207-48207. edited by Hasan, ZU; Craig, AE; Shahriar, SM; Coufal, HJ. presented at *Conference on Advanced Optical and Quantum Memories and Computing IV* in San Jose, CA, JAN 24-25, 2007.
 18. Dutt, MVG; Childress, L; Togan, E; Taylor, JM; Jiang, L; Zibrov, AS; Hemmer, PR; Jelezko, F; Wrachtrup, J; Lukin, MD. 2006. Quantum control of electron and nuclear spin qubits in the solid-state. *Atomic Physics 20* 869: 119-127. edited by Roos, C; Haffner, H; Blatt, R. presented at *20th International Conference on Atomic Physics* in Innsbruck, AUSTRIA, JUL 16-21, 2006.
 19. Beausoleil, RG; Fattal, D; Fiorentino, M; Santori, CM; Snider, G; Spillane, SM; Williams, RS; Munro, WJ; Spiller, TP; Rabeau, JR; Prawer, S; Jelezko, F; Tamarat, P; Wrachtrup, J; Hemmer, P. 2006. Applications of nanophotonics to classical and quantum information technology - art. no. 639301. *Nanophotonics for Communication: Materials, Devices, and Systems III* 6393: 39301-39301. edited by Gerken, M; Dhar, NK; Dutta, AK; Islam, MS. presented at *Conference on Nanophotonics for Communication-Materials, Devices, and Systems III* in Boston, MA, OCT 02-03, 2006.
 20. Zhang, HL; Xu, X; Qing, DK; Hemmer, P; Wang, LV. 2006. Optical and mechanical properties in photorefractive crystal based ultrasound-modulated optical tomography - art. no. 608616. *Photons Plus Ultrasound: Imaging and Sensing 2006* 6086: 8616-8616. edited by Oraevsky, AA; Wang, LV. presented at *7th Conference on Biomedical Thermoacoustics, Optoacoustics, and Acousto-Optics* in San Jose, CA, JAN 22-26, 2006.
 21. Hemmer, P; Qing, DK; Deng, ZJ. 2005. Addressing the delay-time-bandwidth problem in slow light. *Advanced Optical and Quantum Memories and Computing II* 5735: 98-104. edited by Coufal, HJ; Hasan, ZU; Craig, AE. presented at *Conference on Advanced Optical and Quantum Memories and Computing II* in San Jose, CA, JAN 25-26, 2005.
 22. Trajkov, E; Jelezko, F; Wrachtrup, J; Prawer, S; Hemmer, P. 2005. Quantum computing with nitrogen-vacancy pairs in diamond. *Fluctuations and Noise in Photonics and Quantum Optics III* 5846: 272-276. edited by Hemmer, PR; GeaBanaclache, JR; Heszler, P; Zubairy, MS. presented at *Conference on Fluctuations and Noise in Photonics and Quantum Optics III* in Austin, TX, MAY 24-26, 2005.
 23. Deng, ZJ; Shin, CS; Hemmer, PR. 2005. Plasmon-atom coupling for suppression of spontaneous emission. *Fluctuations and Noise in Photonics and Quantum Optics III* 5846: 277-281. edited by Hemmer, PR; GeaBanaclache, JR; Heszler, P; Zubairy, MS. presented at *Conference on Fluctuations and Noise in Photonics and Quantum Optics III* in Austin, TX, MAY 24-26, 2005.
 24. Qing, DK; Deng, ZJ; Ooi, CHR; Hemmer, PR; Scully, M. 2005. Crosstalk noise suppression in slow light for time-bandwidth product. *Fluctuations and Noise in Photonics and Quantum Optics III* 5846: 282-288. edited by Hemmer, PR; GeaBanaclache, JR; Heszler, P; Zubairy, MS. presented at *Conference on Fluctuations and Noise in Photonics and Quantum Optics III* in Austin, TX, MAY 24-26, 2005.
 25. Khan, M; Hemmer, PR. 2005. Noise limitation in nano-scale imaging. *Fluctuations and Noise in Photonics and Quantum Optics III* 5846: 301-304. edited by Hemmer, PR; GeaBanaclache, JR; Heszler, P; Zubairy, MS. presented at *Conference on Fluctuations and Noise in Photonics and Quantum Optics III* in Austin, TX, MAY 24-26, 2005.

26. Deng, ZJ; Qing, DK; Hemmer, PR; Zubairy, MS. 2005. Suppression of noise in optical associative memories by real time thresholding. *Fluctuations and Noise in Photonics and Quantum Optics III* 5846: 305-310. edited by Hemmer, PR; GeaBanaclouche, JR; Heszler, P; Zubairy, MS. presented at *Conference on Fluctuations and Noise in Photonics and Quantum Optics III* in Austin, TX, MAY 24-26, 2005.
27. Hemmer, P. 2005. Suppression of inhomogeneous broadening in optically addressed solids for quantum computing applications. *Fluctuations and Noise in Photonics and Quantum Optics III* 5846: 311-315. edited by Hemmer, PR; GeaBanaclouche, JR; Heszler, P; Zubairy, MS. presented at *Conference on Fluctuations and Noise in Photonics and Quantum Optics III* in Austin, TX, MAY 24-26, 2005.
28. Deng, ZJ; Hemmer, PR. 2004. Investigation of room-temperature slow light in photorefractives for optical buffer applications. *ADVANCED OPTICAL AND QUANTUM MEMORIES AND COMPUTING* 5362: 81-89. edited by Coufal, HJ; Hasan, AU. presented at *Conference on Advanced Optical and Quantum Memories and Computing* in San Jose, CA, JAN 27-28, 2004.
29. Hemmer, PR. 2003. Rare earth based quantum memories. *ADVANCED OPTICAL DATA STORAGE* 4988: 40-50. edited by Coufal, HJ; Craig, AE; Hasan, ZU. presented at *Conference on Advanced Optical Data Storage* in SAN JOSE, CA, JAN 28-29, 2003.
30. Shahriar, MS; Hemmer, PR; Lloyd, S; Turukhin, A. 2001. Quantum computing in diamond. *EXPERIMENTAL IMPLEMENTATION OF QUANTUM COMPUTATION*: 16-24. edited by Clark, RG. presented at *1st International Conference on Experimental Implementation of Quantum Computation* in SYDNEY, AUSTRALIA, JAN 16-19, 2001.
31. Turukhin, AV; Sudarshanam, VS; Musser, JA; Shahriar, MS; Hemmer, PR. 2002. First observation of ultraslow group velocity of light in a solid. *PHOTOREFRACTIVE FIBER AND CRYSTAL DEVICES: MATERIALS, OPTICAL PROPERTIES, AND APPLICATIONS VII, AND OPTICAL DATA STORAGE* 4459: 352-357. edited by Yin, S; Yu, FTS; Coufal, HJ. presented at *Conference on Photorefractive Fiber and Crystal Devices: Materials, Optical Properties, and Applications VII, and Optical Data Storage* in SAN DIEGO, CA, JUL 29-31, 2001.
32. Hemmer, PR; Turukhin, AV; Musser, JA; Shahriar, MS. 2002. Raman excited spin coherences in N-V diamond. *PHOTOREFRACTIVE FIBER AND CRYSTAL DEVICES: MATERIALS, OPTICAL PROPERTIES, AND APPLICATIONS VII, AND OPTICAL DATA STORAGE* 4459: 358-363. edited by Yin, S; Yu, FTS; Coufal, HJ. presented at *Conference on Photorefractive Fiber and Crystal Devices: Materials, Optical Properties, and Applications VII, and Optical Data Storage* in SAN DIEGO, CA, JUL 29-31, 2001.
33. Shahriar, MS; Hemmer, PR; Lloyd, S; Bowers, JA; Craig, AE. OSA; OSA; OSA. 1999. Quantum computing via cavity induced coupling of spectrally selective bands of particles in a solid. *OPTICS IN COMPUTING, TECHNICAL DIGEST*: 178-180. presented at *Conference on Optics in Computing* in ASPEN, CO, APR 13-16, 1999.
34. Hemmer, PR; Shahriar, MS; Ham, BS; Kim, MK. 1999. Raman excited spin coherences for high temperature spectral hole burning memories. *ADVANCED OPTICAL DATA STORAGE: MATERIALS, SYSTEMS, AND INTERFACES TO COMPUTERS* 3802: 222-227. edited by Mitkas, PA; Hasan, ZU; Coufal, HJ; Sincerbox, GT. presented at *Conference on Advanced Optical Data Storage - Materials, Systems, and Interfaces to Computers* in DENVER, CO, JUL 20-22, 1999.
35. Kim, MK; Hemmer, PR; Ham, BS; Shahriar, SM. 1998. Efficient generation of Raman echo and time-domain optical data storage by electromagnetically induced transparency. *ADVANCED OPTICAL MEMORIES AND INTERFACES TO COMPUTER STORAGE* 3468: 134-143. edited by Mitkas, PA; Hasan, ZU. presented at *Conference on Advanced Optical Memories and Interfaces to Computer Storage* in SAN DIEGO, CA, JUL 22-24, 1998.
36. Ham, BS; Hemmer, PR; Kim, MK; Shahriar, MS. 1998. Optical memory using resonant Raman pulse excited spin echoes. *OPTICAL DATA STORAGE '98* 3401: 225-231. edited by Kubota, S; Milster, TD; Wehrenberg, PJ. presented at *Conference on Optical Data Storage '98* in ASPEN, CO, MAY 10-13, 1998.
37. Henrion, M; Ludman, J; Sobolev, G; Shahriar, S; Soboleva, S; Hemmer, P. 1998. Two-dimensional holographic nonspatial filtering for laser beams. *PHOTOPOLYMER DEVICE PHYSICS, CHEMISTRY, AND APPLICATIONS IV* 3417: 195-206. edited by Lessard, RA. presented at *Conference on Photopolymer Device*

Physics, Chemistry, and Applications IV in QUEBEC CITY, CANADA, JUL 15-16, 1998.

38. Hemmer, PR; Shahriar, MS; Ham, BS; Kim, MK; Rozhdestvensky, Y. 1996. Optical spectral holeburning with Raman coherent population trapping. *MOLECULAR CRYSTALS AND LIQUID CRYSTALS SCIENCE AND TECHNOLOGY SECTION A-MOLECULAR CRYSTALS AND LIQUID CRYSTALS* 291: 287-294. presented at *Proceedings of the Fifth International Meeting on Hole Burning and Related Spectroscopies (HBRS'96) - Science and Applications* in BRAINERD, MN, SEP 13-17, 1996.
39. Bigelow, NP; Hemmer, PR; Katz, DP; Shahriar, MS; Bonifacio, R; DeSalvo, L. 1996. Reverse oscillations in a sodium ring laser: Evidence for CARL?. *COHERENT AND COLLECTIVE INTERACTIONS OF PARTICLES AND RADIATION BEAMS* 131: 371-391. edited by Aspect, A; Barietta, W; Bonifacio, R. presented at *International School of Physics Enrico Fermi Course CXXXI - Coherent and Collective Interactions of Particles and Radiation Beams* in VARENNA, ITALY, JUL 11-21, 1995.
40. Hemmer, PR; Katz, DP; Shahriar, MS; Kumar, P; CroninGolomb, M. 1996. Optical phase conjugation using Raman coherent population trapping. *COHERENT PHENOMENA AND AMPLIFICATION WITHOUT INVERSION - ICONO '95* 2798: 272-281. edited by Andreev, AV; Kocharovskaya, O; Mandel, P. presented at *LO/ICONO 95 Conference on Transient Coherent Phenomena, and Atomic Coherence and Amplification Without Inversion* in ST PETERSBURG, RUSSIA, JUN 27-JUL 01, 1995.
41. Hemmer, PR; Shahriar, MS; Katz, DP; Kumar, P; Donoghue, J; CroninGolomb, M. 1996. Optical phase conjugation in the double Raman system. *COHERENCE AND QUANTUM OPTICS VII*: 435-436. edited by Eberly, JH; Mandel, L; Wolf, E. presented at *7th Rochester Conference on Coherence and Quantum Optics* in ROCHESTER, NY, JUN 07-10, 1995.
42. Shahriar, MS; Hemmer, PR. 1996. Generation of squeezed states via non-degenerate four wave mixing in an ideal Lambda system. *COHERENCE AND QUANTUM OPTICS VII*: 479-480. edited by Eberly, JH; Mandel, L; Wolf, E. presented at *7th Rochester Conference on Coherence and Quantum Optics* in ROCHESTER, NY, JUN 07-10, 1995.
43. Hemmer, PR; Shahriar, MS; Katz, DP; Bonifacio, R; DAngelo, EJ; Bigelow, NP. 1996. Grating enhanced gain and reverse oscillations in a sodium vapor laser: Evidence for collective atomic recoil lasing (CARL). *COHERENCE AND QUANTUM OPTICS VII*: 707-708. edited by Eberly, JH; Mandel, L; Wolf, E. presented at *7th Rochester Conference on Coherence and Quantum Optics* in ROCHESTER, NY, JUN 07-10, 1995.
44. LUDMAN, JE; RICCOBONO, J; CAULFIELD, J; FOURNIER, JM; SEMENOVA, I; REINHAND, N; HEMMER, PR; SHAHRIAR, SM. 1995. POROUS-MATRIX HOLOGRAPHY FOR NONSPATIAL FILTERING OF LASERS. *PRACTICAL HOLOGRAPHY IX* 2406: 76-85. edited by Benton, SA. presented at *Practical Holography IX Conference* in SAN JOSE, CA, FEB 06-08, 1995.
45. CAULFIELD, HJ; LUDMAN, JE; HEMMER, PR. 1994. OPTICAL WAVELENGTH TRANSFORM CONTINUOUS IN TIME, TIME SHIFT, AND SCALE. *HYBRID IMAGE AND SIGNAL PROCESSING IV* 2238: 166-169. edited by Casasent, DP; Tescher, AG. presented at *4th Conference on Hybrid Image and Signal Processing* in ORLANDO, FL, APR 07, 1994.
46. EZEKIEL, S; SMITH, SP; SHAHRIAR, MS; HEMMER, PR. 1994. NEW OPPORTUNITIES IN FIBEROPTIC SENSORS. *TENTH INTERNATIONAL CONFERENCE ON OPTICAL FIBRE SENSORS* 2360: 3-9. edited by Culshaw, B; Jones, JDC. presented at *10th International Conference on Optical Fibre Sensors* in GLASGOW, SCOTLAND, OCT 11-13, 1994.
47. BIGELOW, NP; CAI, T; PU, H; KORN, J; SHAFFER, J; HEMMER, PR; KATZ, DP; SHAHRIAR, MS. 1994. LASER COOLING - BEYOND ONE FIELD AND ONE-DIMENSION. *ACTA PHYSICA POLONICA A* 86 (1-2): 29-40. presented at *International Conference on Quantum Optics III* in SZCZYRK, POLAND, SEP 03-09, 1993.
48. KANE, JS; HEMMER, P; WOODS, C; KHOURY, J. 1991. BINARY PHASE ONLY FILTER ASSOCIATIVE MEMORY. *OPTICAL INFORMATION PROCESSING SYSTEMS AND ARCHITECTURES III* 1564: 511-521. edited by JAVIDI, B. presented at *CONF ON OPTICAL INFORMATION PROCESSING SYSTEMS AND ARCHITECTURES 3* in SAN DIEGO, CA, JUL 23-26, 1991.
49. HEMMER, PR; ROSENBERG, A; EZEKIEL, S; ONTAI, GP. 1986. PERFORMANCE OF A LASER-

INDUCED RESONANCE RAMAN CLOCK. *IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL* 33 (1): 131-131..

50. HEMMER, PR; EZEKIEL, S; LEIBY, CC. 1984. STABILIZATION OF A MICROWAVE-OSCILLATOR USING A RESONANCE RAMAN TRANSITION IN A SODIUM BEAM. *PROGRESS IN QUANTUM ELECTRONICS* 8 (3-4): 161-163.. Times Cited: 1

Book Chapters and Reviews:

1. "Precision Studies in Three-Level Systems," B. W. Peuse, R. E. Tench, P. R. Hemmer, J. E. Thomas, and S. Ezekiel, in **Laser Spectroscopy V**, edited by A. R. W. McKellar, T. Oka, and B. P. Stoicheff (Springer-Verlag, 1981) p. 251.
2. "Optical Phase Conjugation in the Double Lambda System," P. R. Hemmer, M. S. Shahriar, D. P. Katz, P. Kumar, J. Donoghue, and M. Cronin-Golomb, "Generation of Squeezed States via Non-degenerate Four Wave Mixing in an Ideal Lambda System," M. S. Shahriar and P. R. Hemmer, and "Grating Enhanced Gain and Reverse Oscillations in a Sodium Vapor Laser: Evidence for Collective Atomic Recoil Lasing (CARL)," P. R. Hemmer, M. S. Shahriar, D. P. Katz, R. Bonifacio, E. J. D'Angelo, and N. P. Bigelow in **Coherence and Quantum Optics**, ed. by Eberly, Mandel, and Wolf (Plenum Press, New York, 1995) pp. 435, 479, and 707.
3. "Ultra-high Density Optical Data Storage," M.S. Shahriar, L. Wong, M. Bock, B. Ham, J. Ludman, and P. Hemmer, *Symposium on Electro-Optics: Present and Future*, 1998 Optical Society of Americas book series on **Trends in Optics and Photonics.**, H. Haus, ed., pp 97-104.
4. "Resonant Nonlinear Optics in Phase Coherent Media," M.D. Lukin P. Hemmer, and M.O. Scully in **Advances in Atomic Molecular and Optical Physics, vol. 42**, ed. by B. Bederson, and H. Walther (Academic Press, New York, 2000) pp. 347-384. Citations 155.
5. "Holographic Optical Memories," P.R. Hemmer, M.S. Shahriar, J. Ludman, H.J. Caulfield, in **Holography for the New Millennium**, ed. by J. Ludman, H.J. Caulfield, and J. Riccobono (Springer, New York 2002).
6. **ADVANCES IN APPLIED MATHEMATICS AND GLOBAL OPTIMIZATION**
Advances in Mechanics and Mathematics, 2009, Volume 17, 1-56, DOI: 10.1007/978-0-387-75714-8_14
7. "Nitrogen vacancy centers physics and applications," edited by Victor Acosta and Philip Hemmer, **MRS Bulletin** 38 (2), pp 127-130 (Feb 2013).

Patents:

1. Robust Optical Feedback for Semiconductor Laser, Hemmer, Bernacki, **5,077,747** (14Jun91)
2. All Optical Phase Sensitive Detector and Lock-in Detector, Khoury, Hemmer, Woods, Ryan, **5,303,031** (29Jun94)
3. Self-Pumped Optical Phase Conjugation with a Sodium Raman Laser, Hemmer, Kane, Donoghue, **5,377,210** (27Dec94)
4. Homodyne and Heterodyne Imaging in a Light Scattering Medium, Khoury, Woods, Hemmer, **5,684,588** (25Nov97)
5. Method of efficient coupling of light from single-photon emitter to guided radiation localized sub-wavelength dimensions on conducting nanowires, Lukin, Zibrov, Akimov, Hemmer, Park, Mukherjee, Chang, Yu, **Filed** 18-Sep-2007

Invited Presentations at Major Conferences:

1. "Damping and Deflection of Three-Level Atoms by Two Standing Wave Optical Fields and Potential Trap Uses," P.R. Hemmer, M.S. Shahriar, M. Prentiss, D.P. Katz, K. Berggren, J. Mervis, N.P. Bigelow, **8th Interdisciplinary Laser Science Conference (ILS-VIII)**, Albuquerque, NM (Sept 1992).

2. "Optical Phase Conjugation using Raman Coherent Population Trapping," P.R. Hemmer, M.S. Shahriar, P. Kumar, and M. Cronin-Golomb, **8th Conference on Laser Optics**, St. Petersburg, Russia (Jun 1995).
3. "Raman Excited Spin Coherences for High Temperature Spectral Hole Burning Memories," P. R. Hemmer, M. S. Shahriar, B.S. Ham and M.K. Kim, **Advanced Optical Memories and Interfaces to Computer Storage, SPIE Annual Meeting vol. 3468**, Denver, CO (July 1999).
4. "Optical memory using Raman pulse excited spin echoes," B. S. Ham, P. R. Hemmer, M. K. Kim, and M. S. Shahriar, **Optical data storage topical meeting**, Aspen, Colorado; 1998 Technical digest series (OSA) Vol. 8, p.119 (1998).
5. "Ultraslow and Stopped Light in a Crystal," P.R. Hemmer, M.S. Shahriar, **Canadian Association of Physics 2002 Congress**, Quebec City, Canada (June 2002).
6. "Ultraslow and Stopped Light Pulses in Solids," P.R. Hemmer, **2002 Optical Society of America Annual Meeting/LS-XVIII**, Orlando, FL (Sept. 2002).
7. "Rare Earth based Quantum Memories," P.R. Hemmer, **Photonics West 2003**, San Jose, CA (Jan 2003).
8. "Acceleration, Deceleration and Stopping of Light Pulses in a Spectral Hole Burning Crystal," P.R. Hemmer, **Gordon Research Conference on Quantum Control of Light and Matter**, Mt. Holyoke College, MA (August 2003).
9. "Slow and Stopped Light in Solids," P.R. Hemmer, Z. Deng, D. Qing, **Great Lakes Photonics Symposium**, Cleveland, OH (May 2004).
10. "Solid State Quantum Processing with Electromagnetically Induced Transparency," P.R. Hemmer, **Frontiers of Nonlinear Physics**, Nizhny Novogorod, Russia (July 2004).
11. "Addressing the delay-time-bandwidth problem in slow light," P. Hemmer, D.K. Qing, and Z. Deng, **Photonics West 2005**, San Jose, CA (Jan 2005).
12. "Optically Addressed Quantum Computer in Diamond," P. Hemmer, **Frontiers in Optics**, Tucson AZ, Oct 2005
13. "VLSI Quantum Computer in Diamond," P Hemmer, S Praver, E Trajkov, J Wrachtrup, F Jelezko, N Manson and M Sellars, **Photonics West 2006**, San Jose, CA (Jan 2006).
14. "Scalable Quantum Computing in Diamond," Philip Hemmer, Jerog Wrachtrup, Fedor Jelezko, Philippe Tamarat, Steven Praver, Mikhail Lukin. **Photonics West 2007**, San Jose, CA (Jan 2007).
15. "Diamond based quantum registers at room temperature," P. R. Hemmer and M. D. Lukin, **Frontiers of Nonlinear Physics**, Nizhny Novgorod, Russia (July 2007)
16. "Optical and RF EIT for imaging single NV centers," Philip Hemmer, Joerg Wrachtrup and Fedor Jelezko, **Photonics West 2008**, San Jose, CA (Jan 2008).
17. "Sub-wavelength imaging with Dopplerons," Philip Hemmer and Suhail Zubairy, **Photonics West 2008**, San Jose, CA (Jan 2008).
18. "Room-Temperature Solid-State Quantum Processors in Diamond," Philip Hemmer and Mikhail Lukin, **SPIE Defense & Security Conference**, Orlando, FL (Mar 2008).
19. "Quantum optical techniques for sub-wavelength imaging," Philip Hemmer, **XII International Conference on Quantum Optics and Quantum Information (ICQO'2008)** Vilnius, Lithuania, September 20-23, 2008.
20. "Quantum optics for subwavelength imaging," Philip Hemmer, Changdong Kim, Joerg Wrachtrup and Fedor Jelezko, **Photonics West 2009**, San Jose, CA (Jan 2009).
21. "Tradeoffs of spectral hole burning memories for bio-imaging applications," Philip Hemmer and Huiliang Zhang, Lihong V. Wang and Youzhi Li, **Photonics West 2009**, San Jose, CA (Jan 2009).
22. "Ultimate limits of subwavelength imaging with NV diamond," **Quantum Communications and Quantum Imaging VIII, SPIE Photonics & Optics (OPTO 10)**, (San Diego, CA, Aug 3-5, 2010)
23. "Limits to subwavelength imaging," Coherent **Raman Scattering Microscopy (microCARS2010)**, (Physikzentrum Bad Honnef, Germany, October 18 – 20, 2010)
24. "Deep tissue (phantom) imaging with spectral hole burning in Pr:YSO," Xiao Xu, Honglin Liu, Sri-Rajasekhar Kothapalli, Lihong V. Wang, **Photonics West 2011**, San Francisco, CA (Jan 2011).
25. "Slow light for cancer detection: ultrasound-modulated optical tomography using slow light enhanced with spectral hole burning," Huiliang Zhang, Mahmood Sabooni, Lars Rippe, Stefan Kroll, Lihong V. Wang, Philip R. Hemmer, **Photonics West 2011**, San Francisco, CA (Jan 2011).
26. "Slow Light for Cancer Detection: Ultrasound-Modulated Optical Tomography Using Slow Light in Spectral Hole Burning Materials," Philip R. Hemmer, Stefan Kroll, Lihong V. Wang, Huiliang Zhang, Mahmood Sabooni, Lars Rippe, **2011 Advanced Photonics Optics and Photonics Congress**, Toronto Canada (June 2011)

27. "High resolution single spin imaging with NV diamond," Philip Hemmer, **2011 Optics + Photonics**, San Diego, CA (Aug 2011)
28. "Toward deep tissue biomedical imaging with slow light and ultrasound," Philip R. Hemmer, Stefan Kroll, Lihong V. Wang, Huiliang Zhang, Mahmood Sabooni, Lars Rippe, **Photonics West 2012**, San Francisco, CA (Jan 2012).
29. "Quantum information and quantum sensing with NV diamond," Philip Hemmer, **APS March Meeting 2012**, Boston, MA (Feb 2012)
30. "*External spin sensing with NV diamond*", Philip Hemmer, **21th International Laser Physics Workshop (LPHYS'12)**, Calgary, Canada (July 2012)
31. "Quantum-inspired bio-sensing with nitrogen-vacancy color centers in diamond," Philip Hemmer, Quantum Communications and Quantum Imaging X, **SPIE Optics & Photonics**, San Diego CA (Aug 2012)
32. "Slow light and optically detected ultrasound," Philip Hemmer, **Photonics West 2013**, San Francisco, CA (Jan 2013).
33. "Toward sub-wavelength lithography with atomic coherence," Philip Hemmer, Fahad AlGhannam, Suhail Zubairy, **SPIE 8875, Quantum Communications and Quantum Imaging XI**, San Diego, California, United States, (August 2013)
34. "Precision magnetometry with diamond color centers," Philip Hemmer, **Photonics West 2015**, San Francisco, CA (Jan 2015).
35. "Super-Resolution Lithography and Imaging with Diamond Color Centers," Philip Hemmer, **2015 MRS Spring Meeting**, San Francisco, CA (April 2015).
36. "New opportunities for quantum storage in diamond," Philip Hemmer, **Quantum Communications and Quantum Imaging XIII, SPIE 9615**, San Diego, California, United States, (August 2015)
37. "Future quantum sensing and computing applications of diamond color centers," Philip Hemmer, **Photonics West 2016**, San Francisco, CA (Feb 2016).

Invitation-Only Conference/Meeting Presentations:

1. "Low Threshold Optical Phase Conjugation using Inversionless Gain in the Double-Lambda System," P.R. Hemmer, M.S. Shahriar, P. Kumar, J. Donoghue, and M. Cronin-Golomb, **Quantum Coherence and Interference in Fundamental and Applied Physics**, Crested Butte, CO (Aug 1994).
2. "Optical Phase Conjugation using Coherent Population Trapping," P.R. Hemmer, M.S. Shahriar, P. Kumar, D.P. Katz, J. Donoghue, and M. Cronin-Golomb, **25th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 1995).
3. "Optical Phase Conjugation in the Double Raman System," P.R. Hemmer, M.S. Shahriar, P. Kumar, and M. Cronin-Golomb, **7th Rochester Conference on Coherence and Quantum Optics**, Rochester, NY (Jun 1995).
4. "Generation of Squeezed States via Non-Degenerate Four Wave Mixing in an Ideal Λ System," M. S. Shahriar and P. R. Hemmer, **7th Rochester Conference on Coherence and Quantum Optics**, Rochester, NY (Jun 1995).
5. "Grating Enhanced Gain and Reverse Oscillations in a Sodium Vapor Laser: Evidence for Collective Atomic Recoil Lasing (CARL)," P. R. Hemmer, M. S. Shahriar, D. P. Katz, R. Bonifacio, E. J. D'Angelo, and N. P. Bigelow, **7th Rochester Conference on Coherence and Quantum Optics**, Rochester, NY (Jun 1995).
6. "Optical Processing with Coherent Population Trapping," P. Hemmer, **Quantum Coherence and Interference in Fundamental and Applied Physics**, Alta WY (August 1995).
7. "Gain, Noise Correlation & Propagation Effects in the Double Lambda System," P.R. Hemmer, M. S. Shahriar, T. Grove, P. Kumar, **26th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 1996).
8. "Noise Correlation and Suppressed Self-focusing in the Double Lambda System," P.R. Hemmer, M.S. Shahriar, P. Kumar, M. Cronin-Golomb, **Texas Conference on Foundations of Quantum Electrodynamics**, Bellingham WA (Aug 1996)
9. "Quantum Coherence in the Double Lambda System and Applications," P.R. Hemmer, **27th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 1997).
10. "Turbulence aberration correction with high-speed, high-gain optical phase conjugation in sodium", V.S. Sudarshanam, M. Cronin-Golomb, P.R. Hemmer, and S. Shahriar, **Electromagnetics Research Symposium 1997**, Boston, MA (Jul 1997)

11. "Electromagnetically Induced Transparency in Pr Doped YSO Crystals," P.R. Hemmer, **Taos Summer School**, Taos, NM (Aug 1997).
12. "Phase Conjugation and Atomic Coherence," P.R. Hemmer, **28th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 1998).
13. "Atomic Coherence for Phase Conjugation, Optical Memory and Quantum Computing," P.R. Hemmer, **29th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 1999).
14. "Progress in Raman Excited Spin Coherences for High Temperature Spectral Hole Burning," P.R. Hemmer, **Applications of Spectral Hole Burning**, Montana State University, Bozeman, MT (Mar 1999).
15. "Quantum Coherence Effects for Optical Memory, Aberration Correction and Quantum Computing," P.R. Hemmer, **1999 TAMU-ONR Workshop on Quantum Optics**, Jackson, WY (Aug 1999).
16. "Applications and Prospects for Electromagnetically Induced Transparency in Solids," P.R. Hemmer, **Physics and Applications of Slow Light, ITAMP Workshop**, Cambridge, MA (Apr 2000).
17. "Dark Resonances in Spectral Hole Burning Materials," P. R. Hemmer, **Applications of Spectral Hole Burning**, Big Sky, MT (Jul 2000).
18. "Applications and Prospects for Dark Resonances in Solids," P.R. Hemmer, **2000 TAMU-ONR Workshop on Quantum Optics**, Jackson, WY (Aug 2000).
19. "First Observation of Ultraslow Group Velocity of Light in a Solid," V.S. Sudarshanam, M.S. Shahriar, and P.R. Hemmer, **31st Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2001).
20. "Dark Resonances in Solids: Materials Issues and Applications," P.R. Hemmer and M.S. Shahriar, **31st Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2001).
21. "Dark Resonances in Solids for Quantum Computing and Slow Light," P.R. Hemmer, **8th Conference on Quantum Optics (CQO8)**, University of Rochester, NY (June 2001).
22. "Dark Resonances in Solids: Methods and Applications," P.R. Hemmer, **2001 TAMU-ONR Workshop on Quantum Optics**, Jackson, WY (Aug 2001).
23. "Quantum Coherence in the Double Lambda System and Applications from Optical Memory to Quantum Computing," P.R. Hemmer, **1998 TAMU/ONR Workshop on Quantum Optics**, Jackson, WY (Aug 1998).
24. "Ultra-slow and Stopped Light Pulses in a Solid," P.R. Hemmer, **32nd Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2002).
25. "Type II Quantum Computing with Optically Addressed Spins in Solids," **Quantum Computation for Physical Modeling Workshop**, Martha's Vineyard, MA (May 2002).
26. "Solid State Quantum Computing and Storage using Optically Addressed Spins," P.R. Hemmer, M.S. Shahriar, **Progress in Electromagnetics Research Symposium**, Boston, MA (July 2002).
27. "Optical Raman Dark Resonances for Quantum Computing in NV Diamond," P.R. Hemmer, M.S. Shahriar, **8th International Conference New Diamond Science and Technology 2002**, Melbourne, Australia (July 2002).
28. "Ultraslow and Stopped Light in Rare Earth Doped Crystal," P.R. Hemmer, **Quantum Optics Miniprogram at the Institute for Theoretical Physics in Santa Barbara**, Santa Barbara, CA (July 2002).
29. "Progress toward Quantum Computing and Stopped Light Quantum Storage using EIT in Solids," P.R. Hemmer, **33rd Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2003).
30. "Applications of Electromagnetically Induced Transparency in Doped Solids," P.R. Hemmer, **34nd Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2004).
31. "Very Large Scale (VLSI) Quantum Computer in Diamond," P.R. Hemmer, **35th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2005).
32. "Solving the Delay-Time-Bandwidth Problem in Slow Light," P Hemmer, M Scully, S Zubairy De-Kui Qing, Z Deng, R Ooi, **36th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2006).
33. "Fundamentals of solid state quantum computing with spin systems," "Solid state quantum computing with a photonic interface," P. Hemmer, **International Workshop on Quantum Informatics and Quantum Devices**, Nathiagali, Pakistan (Jun 2006)
34. "Solid state quantum computing," Philip Hemmer, Steven Prawer, Jerog Wrachtrup, Fedor Jelezko, Neil Manson, and Matthew Sellars, **International Conference on Coherent Control of the Fundamental Processes in Optics and X-ray-Optics**, Nizhny Novgorod Russia (Jul 2006)
35. "Progress toward scalable quantum computers in diamond," P Hemmer, **37th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2007).
36. "Sub-wavelength single-molecule imaging using quantum optics," P Hemmer, **38th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2008).
37. "EIT, dopplerons, and other quantum optical techniques for sub-wavelength imaging," Philip Hemmer, **17th International Laser Physics Workshop (LPHYS'08)**, Trondheim, Norway, June 30 – July 4, 2008

38. "Limits of subwavelength imaging," P Hemmer, **39th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2009).
39. "Practical Limits to Sub-Wavelength Imaging," P Hemmer, **The 10th International Meeting on Hole Burning, Single Molecule, and Related Spectroscopies: Science Applications (HBSM 2009)**, Palm Cove, Australia on 22 to 27 June 2009
40. "Practical limits to sub-wavelength imaging," P. Hemmer, **18th INTERNATIONAL LASER PHYSICS WORKSHOP** (Barcelona, July 13 - 17, 2009)
41. "Spectral Hole Burning Solids for Advanced Ultrasound Imaging," P. Hemmer, **International Symposium on Optical Manipulation of Quantum Information in Solids**, (Paris, May 26-28, 2010)
42. "Practical limits to sub-wavelength imaging," P. Hemmer, **19th International Laser Physics Workshop (LPHYS'10)**, (Foz do Iguacu, Brazil, July 5 – 9, 2010)
43. "High Resolution Single Spin Imaging with NV Diamond," P. Hemmer, **IV International Conference Frontiers of Nonlinear Physics**, (Nizhny Novgorod, Russia, July 13-20, 2010)
44. "Subwavelength imaging with diamond," P Hemmer, **41st Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2011).
45. "Secrets of sub-wavelength imaging and lithography," Philip Hemmer, **20th International Laser Physics Workshop (LPHYS'11)**, Sarajevo, Bosnia- Herzegovina (July 2011)
46. "Secrets of sub-wavelength imaging and lithography" Philip Hemmer, **Diamond: Spintronics, Photonics, Bio-Applications**, Bad Honnef, Germany (April 2011)
47. "External spin sensing with NV diamond," P Hemmer, **42nd Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2012).
48. "Nitrogen-vacancy diamond spin probes for bio molecules," P. Hemmer, **Frontiers of Diamondoid Science**, Stanford, CA (June 2012)
49. "Spin probes for bio molecules based on nitrogen vacancy diamond," P. Hemmer, **Oregon Center for Optics Fall Retreat**, Eugene OR (Sept 2012)
50. "Toward magneto-optic probing of single bio-molecules," P. Hemmer, **The Second Symposium of the Institute for Basic Science in 2012**, Seoul, Korea (Aug 2012)
51. "Toward sub-wavelength lithography with atomic coherence," Philip Hemmer, **43rd Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2013).
52. "Toward nanoscale imaging and lithography with magnetic resonance in solids, Philip Hemmer, Fahad AlGhannam, Suhail Zubairy, **Quantum Optics and New Materials (V) conference at Beijing Computational Science Research**, Beijing China (May 2013).
53. "Toward nanoscale imaging and lithography with magnetic resonance in solids," Philip Hemmer, **22th International Laser Physics Workshop (LPHYS'13)**, Prague, Czech Republic (July 15–19, 2013)
54. "Nitrogen-vacancy diamond and beyond," Philip Hemmer, **FRONTIERS OF NONLINEAR PHYSICS**, Nizhny Novgorod, Russia (July 28 – August 2, 2013)
55. "Toward nano-scale optical lithography with magnetic resonance," Philip Hemmer, **2013 JSAP-MRS Joint Symposia**, Doshisha University, Kyoto Japan (Sept 30-31, 2013).
56. "Biological spinoffs of room-temperature diamond-based quantum computers ," Philip Hemmer, **Hot Topics in Physical Informatics (HotPI)**, Hunan University, Changsha China (Nov 2013)
57. "Bio-sensing opportunities for quantum-optical emitters, Philip Hemmer, **44th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2014).
58. "Toward nanoscale imaging and lithography with magnetic resonance in solids," Philip Hemmer, **International Laser Physics Workshop (LPHYS'14)**, Sofia, Bulgaria (July 14–18, 2014)
59. "Bio-sensing and super-resolution with color centers in diamond," Philip Hemmer, **45th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2015).
60. "Towards engineered nanocrystals with stable fluorescence emitters," Philip Hemmer, **Workshop on tools for nanoscale imaging in cells and biological systems: nanodiamond and beyond**, Prague (April 2015)
61. "Biosensing with diamond," Philip Hemmer, **Princeton-TAMU Workshop on Classical-Quantum Interface**, Princeton NJ (May 2015)
62. "Fluorescent diamond color centers for nanoscale sensing," Philip Hemmer, **The 2015 TAMU-Princeton-Baylor Wyoming Summer School on Quantum Science and Engineering**, Casper WY (July 2015)
63. "Bio sensing with diamond," Philip Hemmer, **24th ANNUAL INTERNATIONAL LASER PHYSICS WORKSHOP**, Shanghai, China (August 2015)
64. "Engineering diamond color centers for quantum information and sensing," Philip Hemmer, **Purdue Quantum Center Kickoff Workshop**, Purdue IN (Oct 2015)

65. "Engineering diamond color centers for quantum information and sensing," Philip Hemmer, **OSA SPIE Purdue Chapter**, Purdue IN (Nov 2015)
66. "Organic nanodiamond," Philip Hemmer, **46th Winter Colloquium in Quantum Electronics**, Snowbird, Utah (Jan 2016).

Contributed Conference Presentations:

1. "Performance of a Microwave Clock Based on a Laser Induced Stimulated Raman Interaction," (with S. Ezekiel et al), presented at the **International Quantum Electronics Conference**, Anaheim, CA (June, 1984)
2. "Performance of a Laser-Induced Resonance Raman Clock," (with S. Ezekiel et al), presented at the **39th Annual Frequency Control Symposium**, Philadelphia, PA (May 1985)
3. "Laser Raman Microwave Clock," **Quantum Electronics Series**, Massachusetts Institute of Technology, Cambridge, MA (March 1986)
4. "Study of Several Error Sources in a Laser Raman Clock," (with B. Bernacki and S. Ezekiel et al), presented at the **41st Annual Frequency Control Symposium**, Philadelphia, PA (May, 1987)
5. "Microwave Phase Dependent Optical Absorption," (with M. S. Shahriar), **International Quantum Electronics Conference**, Anaheim, CA (May 1990)
6. "Bloch Vector Model for Dressed States of Resonant Raman Interaction," (with M. S. Shahriar), **Optical Society of America 1990 Annual Meeting**, Boston, MA (Nov. 1990)
7. "Forces on Three Level Atoms including Trapped-state Contributions," (with M. S. Shahriar, N. P. Bigelow, and M. G. Prentiss), **Quantum Electronics and Laser Science Conference (QELS '91)**, Baltimore, MD (May 1991)
8. "Optical Phase Conjugation with a Sodium Raman Laser," (with J. Donoghue and J. S. Kane), **Quantum Electronics and Laser Science Conference (QELS'91)**, Baltimore, MD (May 1991)
9. "Gigahertz Optical Lock-in Demultiplexer" (with J. Khoury and C. Woods et al), **Conference on Lasers and Electro-optics (CLEO)**, Baltimore, MD (May 1991). Post-deadline.
10. "Binary Phase Only Filter Associative Memory," (with J. S. Kane, C. Woods, and J. Khoury), **S.P.I.E. No. 1564 "Optical Information Processing Systems and Architecture III"**, San Diego, CA (July 1991).
11. "Forces on Three Level Atoms in Standing Wave Excitation Fields," (with K. Berggren, N. Bigelow, S. Ezekiel, J. Mervis, M. G. Prentiss and M. S. Shahriar), **Enrico Fermi International School of Physics Course CXVIII "Laser Manipulation of Atoms and Ions"**, Milan, Italy (July 1991).
12. "Observation of the Deflection of Three-Level Atoms due to Two Standing-Wave Optical Fields," P.R. Hemmer, M.S. Shahriar, M.G. Prentiss, D.P. Katz, K. Berggren, J. Mervis, and N.P. Bigelow, **Conference on Quantum Electronics and Laser Science (QELS)**, Anaheim, CA (May 1992).
13. "Bi-directional Oscillation and Phase Conjugation in a Sodium Vapor Ring Resonator," J. Kane, P.R. Hemmer, J. Donoghue, and M. Cronin-Golomb, **Conference on Quantum Electronics and Laser Science (QELS)**, Anaheim, CA (May 1992).
14. "Optical Data Storage with Raman Excited Microwave Spin Echoes," P.R. Hemmer, M.S. Shahriar, **Conference on Quantum Electronics and Laser Science (QELS)**, Anaheim, CA (May 1992). Postdeadline.
15. "Raman Gain in a Λ -three-level System with Closely Spaced Ground States," M.S. Shahriar, P.R. Hemmer, J. Donoghue, M. Cronin-Golomb, P. Kumar, **Optical Society of America Annual Meeting (OSA)**, Albuquerque, NM (Sept 1992).
16. "Raman Excited Microwave Spin Echoes for Optical Data Storage," M.S. Shahriar, P.R. Hemmer, M. Kim, **Optical Society of America Annual Meeting (OSA)**, Albuquerque, NM (Sept 1992).
17. "Four-level Closed-loop Model for Calculation of Thresholdless Raman Gain without Inversion in Alkali-metal Vapors," J. Donoghue, P. Hemmer, M.S. Shahriar, M. Cronin-Golomb, **Optical Society of America Annual Meeting (OSA)**, Toronto, Canada (Oct 1993).
18. "Velocity-selective Coherent Population Trapping in Conjunction with Pol-grad Cooling in a Folded Three-level System under Standing Wave Excitation," D.P. Katz, M.S. Shahriar, P.R. Hemmer, M. Prentiss, N.P. Bigelow, **Optical Society of America Annual Meeting (OSA)**, Toronto, Canada (Oct 1993).
19. "Suppression of Absorption of Resonance Fluorescence in a Folded Three-level Atom," M.S. Shahriar, M. Prentiss, P.R. Hemmer, **International Quantum Electronics Conference (IQEC)**, Anaheim, CA (May 1994).
20. "Optical Phase Conjugation via Gain Without Inversion in the Double Λ System," P.R. Hemmer, J. Donoghue, M.S. Shahriar, P. Kumar, M. Cronin-Golomb, **Optical Society of America Annual Meeting (OSA)**, Dallas, TX (Oct 1994).

21. "Transient Heating and Cooling in Traveling-wave Velocity-selective Coherent Population Trapping," M.S. Shahriar, M.G. Prentiss, and P.R. Hemmer, **Optical Society of America Annual Meeting (OSA)**, Dallas, TX (Oct 1994).
22. "Resonance Fluorescence, Gain, and Momentum Diffusion of Atoms Moving in Standing Waves of Optical Fields," M.S. Shahriar, D.P. Katz, M.G. Prentiss, and P.R. Hemmer, **Optical Society of America Annual Meeting (OSA)**, Dallas, TX (Oct 1994).
23. "Possible Evidence for Collective Atomic Recoil Lasing," P.R. Hemmer, M.S. Shahriar, D.P. Katz, N.P. Bigelow, R. Bonifacio, and E.J. D'Angelo, **Quantum Electronics and Laser Science Conference**, Baltimore, MD (May 1995). Postdeadline.
24. "Possible Observation of Collective Atomic Recoil Lasing," N.P. Bigelow, P.R. Hemmer, M.S. Shahriar, R. Bonifacio, and E.J. D'Angelo, **Enrico Fermi International School of Physics Course CXXXI "Coherent and Collective Interactions of Particle and Radiation Beams"**, Milan, Italy (July 1995).
25. "Intensity Noise Correlation in Phase Conjugation using a Double Raman System," M.S. Shahriar, P.R. Hemmer, P. Kumar, **Optical Society of America Annual Meeting (OSA)**, Portland, OR (Sep 1995).
26. "Optical Forces on Λ system due to optical phase conjugation via electromagnetically induced transparency," M.S. Shahriar, P.R. Hemmer, **Optical Society of America Annual Meeting (OSA)**, Portland, OR (Sep 1995).
27. "Unbounded Cooling Force in Traveling Waves Excitation on a Four Level System," M.S. Shahriar and P.R. Hemmer, **Quantum Electronics and Laser Science Conference**, Anaheim, CA (Jun 1996)
28. "Diffraction-limited Propagation and High Gain in Optically Dense Sodium Vapor at Low Pump Intensity," M.S. Shahriar, T. Grove, P.R. Hemmer, M. Cronin-Golomb, **Quantum Electronics and Laser Science Conference**, Anaheim, CA (Jun 1996)
29. "Implementing Optical Feedback with a Smart Pixel Spatial Light Modulator," J.S. Kane, P.R. Hemmer, T.G. Kincaid, **Optical Society of America Annual Meeting (OSA)**, Rochester, NY (Sep 1996)
30. "High-speed Turbulence Aberration Correction with High-Gain Optical Phase Conjugation in Sodium," V.S. Sudarshanam, M. Cronin-Golomb, P.R. Hemmer, M.S. Shahriar, **Conference on Lasers and Electro-Optics (CLEO)**, Baltimore, MD (Jun 1997)
31. "Efficient, Fast, Low-power Optical Phase Conjugation using Two-photon Induced Zeeman Coherence in Rubidium," T.T. Grove, E. Rousseau, Xiao-Wei Xia, M.S. Shahriar, and P.R. Hemmer, **Quantum Electronics and Laser Science Conference (QELS)**, Baltimore, MD (Jun 1997)
32. "Observation of Enhanced Nondegenerate Four-wave Mixing and Efficient Electromagnetically Induced Transparency in an Optically Dense Rare-Earth Doped Crystal", B.S. Ham, P.R. Hemmer, and M.S. Shahriar, **Optical Society of America Annual Meeting (OSA)**, Long Beach, CA (Oct 1997)
33. "Air Force Applications of Long-Lived Quantum Coherence," P.R. Hemmer, M.S. Shahriar, B.S. Ham, V.S. Sudarshanam, and M. Cronin-Golomb, **American Physical Society, New England Section Fall Meeting**, Hanscom AFB, MA (Oct 1997).
34. "Optical data storage by electromagnetically induced transparency and nondegenerate four-wave mixing in a spectral hole-burning solid," B.S. Ham, M. S. Shahriar, M.K. Kim, and P. R. Hemmer, **Conference on Lasers and Electro-Optics (CLEO)**, San Francisco, CA (May 1998)
35. "High gain optical phase conjugation using degenerate four wave mixing via coherent population trapping in moving atoms," X. Xia, D. Hsiung, M. S. Shahriar, T. T. Grove, and P. R. Hemmer, **Conference on Lasers and Electro-Optics (CLEO)**, San Francisco, CA (May 1998)
36. "Intracavity high-speed turbulence aberration correction in a phase-conjugate resonator," V. S. Sudarshanam, M. Cronin-Golomb, P. R. Hemmer, and M. S. Shahriar, **Optical Society of America Annual Meeting (OSA)**, Baltimore, MD (Oct 1998)
37. "Nonlinear optics in resonant systems applied to signal processing," P. R. Hemmer, and M. S. Shahriar, **Optical Society of America Annual Meeting (OSA)**, Baltimore, MD (Oct 1998). Invited.
38. "RF-induced gain of optical laser beam in an optically dense rare-earth-doped solid," B.S. Ham, M. S. Shahriar, and P. R. Hemmer, **Optical Society of America Annual Meeting (OSA)**, Baltimore, MD (Oct 1998).
39. "Limits on the sensitivity of an atomic interferometer imposed by the phase noise of a blazed grating optical beam splitter," Y. Tan, M. S. Shahriar, and P. R. Hemmer, **Optical Society of America Annual Meeting (OSA)**, Baltimore, MD (Oct 1998).
40. "Angle and space multiplexed holographic optical memory using thick, diffusion amplified photopolymer," L. Wong, M. Bock, M.S. Shahriar, P.R. Hemmer, M. Henrion, J. Ludman, **Optical Society of America Annual Meeting (OSA)**, Baltimore, MD (Oct 1998).

41. "Quantum computing via cavity-coupled bands in a spectral hole-burning solid, J. Bowers, M.S. Shahriar, S. Lloyd, A. Craig, and P.R. Hemmer, **Optical Society of America Annual Meeting (OSA)**, Baltimore, MD (Oct 1998).
42. "Efficient phase conjugation using Raman dark resonance in an optically dense crystal," B. S. Ham, P. R. Hemmer, and M. S. Shahriar, **Conference on Lasers and Electro-Optics (CLEO)**, Baltimore, MD (May 1999).
43. "Electromagnetically induced transparency over spectral hole-burning temperature in an inhomogeneously broadened solid," B. S. Ham, P. R. Hemmer, M. K. Kim, and M. S. Shahriar, **Quantum Electronics and Laser Science Conference (QELS)**, Baltimore, Maryland (May 1999).
44. "Raman Excited Spin Coherences for High Temperature Spectral Hole Burning Memories," P. R. Hemmer, M. S. Shahriar, and A.V. Turukhin, **Conference on Lasers and Electro-Optics (CLEO)**, San Francisco, CA (May 2000).
45. "Raman Excited Spin Coherences in N-V Diamond," P. R. Hemmer, A.V. Turukhin, M. S. Shahriar, and J.A. Musser, **Conference on Lasers and Electro-Optics (CLEO)**, Baltimore, MD (May 2001).
46. "First Observation of Ultraslow Group Velocity of Light in a Solid," A.V. Turukhin, V.S. Sudarshanam, M.S. Shahriar, J.A. Musser, and P.R. Hemmer, **Conference on Lasers and Electro-Optics (CLEO)**, Baltimore, MD (May 2001).
47. "First Observation of Ultraslow Group Velocity of Light in a Solid," A. V. Turukhin, V.S. Sudarshanam, M. S. Shahriar, J.A. Musser, P.R. Hemmer, **The International Symposium on Optical Science and Technology, SPIE's 46th Annual Meeting**, San Diego, CA (Aug 2001).
48. "Raman Excited Spin Coherences in N-V Diamond," P.R. Hemmer, A.V. Turukhin, M.S. Shahriar, J.A. Musser, **The International Symposium on Optical Science and Technology, SPIE's 46th Annual Meeting**, San Diego, CA (Aug 2001).
49. "Investigation of room-temperature slow light in photorefractives for optical buffer applications," Z. Deng and P.R. Hemmer, **Advanced Optical and Quantum Memories and Computing, SPIE Symposium on Integrated Optoelectronic Devices 2004**, San Jose, CA (January 2004).
50. "Expanding the bandwidth of slow light by artificial inhomogeneous broadening," D Qing, Z Deng, P Hemmer, MO Scully, MS Zubairy, **Photonics West 2006**, San Jose, CA (Jan 2006).
51. "Ultrasound-modulated optical tomography using spectral hole-burning," Youzhi LI, Chulhong Kim, Huiliang Zhang, Kelvin H. Wagner, Philip R. Hemmer, Lihong V. Wang, **Photonics West 2008**, San Jose, CA (Jan 2008).
52. "Ultrasound-modulated optical tomography using fourwave mixing in photorefractive polymers," Huiliang Zhang, Philip R. Hemmer, Peng Wang, Shuji Rokutanda, Michiharu Yamamoto, Nitto Denko, **Photonics West 2008**, San Jose, CA (Jan 2008).
53. "Fast light in a photorefractive crystal for broadband gravitational wave detection with an augmented advanced-LIGO interferometer," Mary Salit, Max Kellner, Subramanian Krishnamurthy, Selim M. Shahriar, Northwestern Univ, Honam Yum, Philip R.Hemmer, **Photonics West 2009**, San Jose, CA (Jan 2009).
54. "Buffering and sensing applications of SBS induced fast light in a fiber resonator," Honam Yum, Philip R. Hemmer, Mary Salit, Selim M. Shahriar, **Photonics West 2009**, San Jose, CA (Jan 2009).
55. "A chirped grating based white light cavity for high-speed data buffering and gravitational wave detection," Young Jang, Honam Yum, Philip R. Hemmer, Selim M. Shahriar, **Photonics West 2011**, San Francisco, CA (Jan 2011).
56. "A chirped grating based white light cavity for high-speed data buffering and gravitational wave detection," Young Jang, Honam Yum, Philip R. Hemmer, Selim M. Shahriar, **Photonics West 2011**, San Francisco, CA (Jan 2011).
57. "Ultrasound-modulated optical tomography using slow light in spectral-hole burning materials," Huiliang Zhang, Philip R. Hemmer, Mahmood Sabooni, Lars Rippe, Stefan Kroll, Lihong Wang, **Photonics West 2012**, San Francisco, CA (Jan 2012).
58. "Spectral-hole burning techniques for ultrasound-modulated optical tomography," Mahmood Sabooni, Huiliang Zhang, Philip R. Hemmer, Lars Rippe, Stefan Kroll, Chulhong Kim, Lihong Wang, **Photonics West 2012**, San Francisco, CA (Jan 2012).
59. "Efficient high-etendue four-wave mixing in a spectral hole-burning," Byoung S. Ham, Philip R. Hemmer, **Photonics West 2012**, San Francisco, CA (Jan 2012).
60. "Design of Diamond Photonic Devices for Spintronics," Babinec, Thomas M.; Fedder, Helmut; Choy, J. T, Bulu, I; Doherty, MW; Hemmer, PR; Wrachtrup, J; Loncar, M; **Conference on Lasers and Electro-Optics (CLEO)** San Jose, CA (MAY 06-11, 2012)

61. "Femtosecond Laser Filaments Allow Remote Imaging beyond Diffraction Limit," Wang, Kai; Strycker, Benjamin D.; Voronine, Dmitri V; Jha, PK ; Scully, MO; Meyers, RE; Hemmer, P; Sokolov, AV; **Conference on Lasers and Electro-Optics (CLEO)**, San Jose, CA (MAY 06-11, 2012)

Supervisory Experience

Supervision at Air Force Research Laboratory

- Supervised four Ph.D. theses that have been completed for graduate students from M.I.T., Harvard, Tufts University, and Boston University.
- Supervised doctorate thesis for Selim Shahriar, "Fundamental Studies and Applications in Three Level Atoms," 1992
- Co-supervised numerous PhD and Masters students from MIT.
- Supervised six Post-docs for more than 2 years each.
- Supervised MIT research professor, one PhD-level staff researcher, one military officer, and one technician for several years each.
- Supervised several Masters theses that have been completed.
- Supervised masters thesis for Selim Shahriar, "Raman Atomic Clock Studies," 1989

University supervision

- Supervised Masters thesis for Honam Yum "A 6-beam combiner using superimposed volume index holographic gratings" 2004
- Supervised Doctorate thesis for Zhijie Deng, "Novel Optical Devices for Information Processing," May 2006
- Supervised Doctorate thesis for Mughees Kahn, "Fabrication and testing of nano-optical structures for advanced photonics and quantum information applications," December 2005
- Supervised Doctorate thesis for Changseok Shin, "One dimensional electron spin imaging for single spin detection and manipulation using gradient field," January 2008
- Supervised Doctorate thesis for Honam Yum, "Study of white light cavity effect via stimulated Brillouin scattering induced fast light in a fiber ring resonator," August 2009
- Supervised Doctorate thesis for Changdong Kim, "Ultrasensitive Magnetometry and Imaging with NV Diamond ," December 2009.
- Supervised Doctorate thesis for Huilang Zhang, "Novel Nonlinear Optics and Quantum Optics Approaches for Ultrasound-Modulated Optical Tomography in Soft Biological Tissue," August 2010.
- Supervised Masters student: Nakul Butta
- Supervised Master student thesis for Jeson Chen, "Yield Optimization of Nitrogen Vacancy Centers in Diamond" August 2011
- Supervised Doctorate thesis for Jeson Chen, "Quantum engineering in diamond," August 2015
- Current PhD students: Todd Zapata, Fahad Al Ghannam, Masfer Alkahtani, Abdurrahman Almethen

Teaching-Related Experience

- Wrote a paper explaining the basic physics of dark resonances in simple terms. This model has been used by numerous university professors to teach graduate students.
- Wrote or co-authored several review papers and sections of books.
- Gave numerous tutorial-level presentations to military and civilian audiences.
- Developed and taught graduate-level course on quantum and optical computing.
- Developed and taught graduate-level laboratory course on basic experimental optics techniques. This course give students "hands on" experience with both optics and electronics and teaches them how to do set up challenging laboratory experiments starting from scratch.
- Successfully transitioned experimental optics course to the undergraduate level.

Professional Service

- Optical Society of America, Sub-committee chair for Quantum Electronics and Laser Science Conference (QELS 02), major international conference in quantum optics with 1000s of attendees, Feb 2001 – May 2002.

- SPIE, Program committee member for Advanced Optical and Quantum Memories and Computing (OE14), international conference, Mar 2003 – Jan 2004.
- SPIE, Co-chair for conference on Fluctuations and Noise (FaN'04), international conference, June 2003 – May 2004.
- SPIE, Chair for conference on Fluctuations and Noise (FaN'05), international conference, June 2004 – May 2005.
- SPIE, Program committee member for Advanced Optical and Quantum Memories and Computing (OE15), international conference, Mar 2004 – Jan 2005.
- EE Coordinator for Homeland Security research, Appointed, College of Engineering Homeland Security committee, Jan. 2003 - present.
- SPIE, Co-chair for Advances in Slow and Fast Light (OE21), international conference, Mar 2007 – Jan 2008.
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication (OE19) international conference, Mar 2007 – Jan 2008.
- OSA, Session organizer for Quantum optics for information processing in 2008 Frontiers in Optics/ Laser Science XXIV, Rochester, Jan 2008 - Oct 2008
- SPIE, Co-chair for Advances in Slow and Fast Light (7226), international conference, Mar 2008 – Jan 2009.
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication (7225) international conference, Mar 2008 – Jan 2009.
- SPIE, Co-chair for Advances in Slow and Fast Light, Mar 2009 – Jan 2010.
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2009 – Jan 2010.
- SPIE, Co-chair for Advances in Slow and Fast Light, Mar 2010 – Jan 2011.
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2010 – Jan 2011.
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2011 – Jan 2012.
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2012 – Jan 2013
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2013 – Jan 2014
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2014 – Jan 2015
- SPIE, Co-chair for Advanced Optical Concepts in Quantum Computing, Memory, and Communication, Mar 2015 – Jan 2016

Referee services

Science, Nature, Physical Review Letters, Physical Review, Nano Letters, Journal of Physics, Applied Physics Letters, Applied Optics, Optics Letters, Journal of the Optical Society of America, Optics Communications, Journal of Optics, etc

Funding Activities

Air Force Internal Funding

Until ~1982 – 1994, most internal funding for basic research in the Air Force Research Laboratory, Hanscom AFB came from funding lines that had been in existence longer than 10 years. The title of the funding line was only loosely related to the work performed. However, the budget was automatically cut at least 10% per year and was subject to termination if not adequately defended at the annual review. I assumed the primary responsibility for defending the program that provided my primary support in the year it was pre-selected for termination. Since then, not only was the program not terminated, but was protected from the annual cut, ranging from 10 – 30 % per year for approximately 6 years.

After 1994, proposals were allowed to be sent directly to Air Force program managers. The following is a list of successful proposals since that time.

Project/Proposal Title: Aero-Optic Metrology and Image Reconstruction using Optical Raman Quantum Interference

Principal Investigator: Philip Hemmer **Co-Principal Investigator:** Charles Woods

Source of Support: US Air Force Office of Scientific Research

Total Award Amount: \$480,000/ 1st 3 years **Total Period Covered:** 10/1/94-indeterminant

Number of postdocs supported: 1

Number of graduate students supported: 1

Project/Proposal Title: Silicon Intersubband and Inversionless Lasers

Principal Investigator: Philip Hemmer **Co-Principal Investigator:** Richard Soref

Source of Support: US Air Force Office of Scientific Research

Total Award Amount: \$540,000/ 1st 3 years **Total Period Covered:** 10/1/95-indeterminant

Number of postdocs supported: 2

Number of graduate students supported: 0

Project/Proposal Title: Laser Targeting through High Speed Turbulence

Principal Investigator: Philip Hemmer

Source of Support: Air Force Research Laboratory

Total Award Amount: \$400,000/ 1st 4 years **Total Period Covered:** 10/1/98- indeterminant

Number of postdocs supported: 1

Number of graduate students supported: 0

Project/Proposal Title: Hybrid ATR Algorithms

Principal Investigator: Charles Woods

Co-Principal Investigator: Philip Hemmer

Source of Support: Air Force Research Laboratory

Total Award Amount: \$100,000

Total Period Covered: 10/1/98-10/1/99

Number of postdocs supported: 1

Number of graduate students supported: 0

Project/Proposal Title: Quantum Devices for Computing and Communication

Principal Investigator: Philip Hemmer

Source of Support: US Air Force Office of Scientific Research

Total Award Amount: \$675,000/ 1st 4 years **Total Period Covered:** 1/1/00-indeterminant

Number of postdocs supported: 1

Number of graduate students supported: 0

Project/Proposal Title: Quantum Computing Materials Based on Spectrally Selective Solids

Principal Investigator: Philip Hemmer

Source of Support: US Air Force Office of Scientific Research

Total Award Amount: \$540,000/ 1st 3 years **Total Period Covered:** 1/1/01-indeterminant

Number of postdocs supported: 1

Number of graduate students supported: 0

Past TAMU External Funding

Project/Proposal Title: Fractal-enhancement of photon bandgap cavities for quantum computing and other applications

Principal Investigator: Philip Hemmer

Source of Support: US Air Force Office of Scientific Research

Total Award Amount: \$370,000

Total Period Covered: 8/1/02-7/31/05

Number of graduate students supported: 2

Project/Proposal Title: Quantum optics initiative

Principal Investigator: Marlan Scully, **Co-investigators:** Philip Hemmer and others
Source of Support: ONR
Total Award Amount: \$75,000 (PI share) **Total Period Covered:** 3/15/03-12/31/05
Number of graduate students supported: 0

Project/Proposal Title: Investigation of NV diamond for quantum repeater applications
Principal Investigator: Mikhail Lukin, Harvard **TAMU PI:** Philip Hemmer
Source of Support: Harvard (DARPA Prime)
Total Amount: \$44,526 **Total Period Covered:** 9/1/04-12/31/04
Number of graduate students supported: 0

Project/Proposal Title: Plasmon resonators for quantum computing
Principal Investigator: Philip Hemmer
Source of Support: US Air Force Office of Scientific Research
Total Award Amount: \$255,000 **Total Period Covered:** 4/1/04-10/1/06
Number of graduate students supported: 2

Project/Proposal Title: Real-Time Stand-Off Detection of Anthrax via FAST CARS and Gain-Swept Super-Radiance
Principal Investigator: Marlan Scully
Source of Support: Sandia National Lab/DARPA
Total Amount: \$50,000 (Hemmer share) **Total Period Covered:** 9/30/05-9/30/06
Number of graduate students supported: 0.

Project/Proposal Title: Spin-Based Lattice-Gas Quantum Computers in Solids using Optical Addressing
PI: Marlan Scully
Involvement: Conceived research plan, wrote proposal and managed/defended program
Source of Support: DARPA, QuIST, managed by US Air Force Office of Scientific Research
Total Award Amount: \$2,100,000 base **Total Period Covered:** 9/30/01-9/30/04
Total Option Amount: \$700,000 **Total Option Period:** 9/30/04-1/30/06
Number of postdocs supported: 2
Number of graduate students supported: 2

Project/Proposal Title: Quantum Computing in Diamond
Principal Investigator: Steven Prawer, Univ of Melbourne **TAMU PI:** Philip Hemmer
Source of Support: Univ Melbourne/ARO
Total Amount: \$50,000 **Total Period Covered:** 9/30/05-9/30/06
Number of graduate students supported: 0.

Project/Proposal Title: Support for Slow Light in Semiconductor Quantum Well Waveguides
Principal Investigator: Connie Chang-Hasnain, UC Berkeley **TAMU PI:** Philip Hemmer
Source of Support: University of California, Berkeley (AFOSR Prime)
Total Amount: \$62,500 **Total Period Covered:** 6/1/04-5/31/07
Number of graduate students supported: 0

Project/Proposal Title: Development of a System of Nonlocally Interconnected Spin Qubits for Quantum Computation
Principal Investigator: Hemmer
Source of Support: Harvard University (ARO funds)
Total Amount: \$198,000 (TAMU share) **Total Period Covered:** 6/1/06-12/31/08
Number of graduate students supported: 0

Project/Proposal Title: NV diamond micro-magnetometer baseline studies
Principal Investigator: Hemmer
Source of Support: ARO (DARPA funds)

Total Amount: \$300,000 **Total Period Covered:** 5/1/08-4/30/09
Number of graduate students supported: 1

Project/Proposal Title: Indestructable Fluorescent Markers in Diamond Nanocrystals with Nanometer Distance-Scale Distinguishability

Principal Investigator: Hemmer

Source of Support: NIH

Total Amount: \$473,280 **Total Period Covered:** 7/1/08-6/30/10

Number of graduate students supported: 1

Project/Proposal Title: Controlled Assembly of Metallic Clusters for High-Performance Optical Devices

Principal Investigator: Hemmer

Source of Support: NSF (Sandia funds)

Total Amount: \$240,000 **Total Period Covered:** 3/1/07-5/30/10

Number of graduate students supported: 1

Project/Proposal Title: Magnetic resonance (MRI) and coherent imaging of single cells and proteins: A revolutionary new tool for biology, medicine and material science

Principal Investigator: Wrachtrup

Source of Support: University of Stuttgart (Deutsche Forschungsgemeinschaft funds)

Total Amount: €442,000 (Hemmer share) **Total Period Covered:** 7/15/09-7/14/12

Number of graduate students supported: 1

Project/Proposal Title: Solid state quantum information system based on optically coupled few qubit registers

Principal Investigator: Lukin (Harvard)

Source of Support: Harvard University (NSF funds)

Total Amount: \$180,000 (TAMU share) **Total Period Covered:** 4/1/07-6/30/2013

Number of graduate students supported: 0

Project/Proposal Title: Diamond Based Magnetometry for Quantum Information Processing Using Endohedral Fullerenes

Principal Investigator: Yacobi (Harvard)

Source of Support: Harvard University (DARPA funds)

Total Amount: \$300,000 **Total Period Covered:** 6/1/09-5/31/13

Number of graduate students supported: 1

Project/Proposal Title: Imaging magnetometer commercial feasibility study

Principal Investigator: Hovde (Southwest Sciences)

Source of Support: Southwest Sciences (DARPA SBIR funds)

Total Amount: \$23,028 (Hemmer share) **Total Period Covered:** 11/1/12-7/1/13

Number of graduate students supported: 0

Project/Proposal Title: Development of a Diamond Nanoscale Magnetometer using Quantum-Assisted Sensing and Readout

Principal Investigator: Walsworth (Harvard-Smithsonian)

Source of Support: Harvard U (DARPA funds)

Total Amount: \$283,000 (Hemmer share) **Total Period Covered:** 7/1/11-9/1/13

Number of graduate students supported: 1

Project/Proposal Title: Magnetic Nanoscopy with Diamond NV Centers

Principal Investigator: Budker (UCB)

Source of Support: UC Berkeley (NSF funds)

Total Amount: \$245,000 (Hemmer share) **Total Period Covered:** 9/1/12-9/1/15

Number of graduate students supported: 1

Current External Funding

Project/Proposal Title: Fluorescent Nanodiamonds for In Vitro and In Vivo Biological Imaging

Principal Investigator: Arfaan Rampersaud (Columbus Nanoworks)

Source of Support: Columbus Nanoworks (NIH SBIR funds)

Total Amount: \$100,000 (Hemmer share) Total Period Covered: 9/1/15-9/1/17

Number of graduate students supported: 1

Project/Proposal Title: Diamond Defects and Sensors

Principal Investigator: Philip Hemmer

Source of Support: MIT Lincoln Lab

Total Amount: \$60,000 Total Period Covered: 12/15/15-8/31/16

Number of graduate students supported: 0